INDEX TO VOLUME 16

AUTHOR INDEX

* Original article.
† Abstract of paper presented at the 1956 Annual Meeting of the Endocrine Society.

ABU HAYDAR N. *see* REDDY W. J. 380*
ACKERMAN N. B. and ARONS W. L.: Effect of epinephrine and nor-epinephrine on the thyroidal release of thyroid hormones in dogs, 926†
ADLERSBERG, D., *see* BOSSAK, E. T., 613*; WANG, C.-I., 992†
AGNA, J. W., and GOLDSMITH, R. E.: Primary hyperparathyroidism associated with hypomagnesemia—a report of 3 cases, 973†
AINGER, L. E., *see* BRILL, A. B., 262*
ALBERT, A., *see* MOLNAR, G. D., 927†
ALBRIGHT, F.: Hypoparathyroidism as a cause of osteomalacia, 419*
——, *see* HENNEMAN, P. H., 931†; NIELSEN, R. L., 968†
ALBUQUERQUE, D., *see* BERARDINELLI, W., 674*
ALIVISATOS, J. G., *see* MCCULLAGH, E. P., 397*
ALTZULER, N.; STEELE, R.; WALL, J. S., and DEBODO, R. C.: Studies with radioactive glucose on the effects of cortisone on carbohydrate metabolism in hypophysectomized dogs, 934†
——, *see* WALL, J. S., 991†
AMATRUDA, T. T., JR., and ENGEL, F. L.: The role of the hypophysis in the ketosis of fasting and insulin hypoglycemia, 983†
ANDERSON, E., *see* WILSON, H., 943†
ANDERSON, W., *see* KUMAR, D., 918†
ANDERSON, W. B., *see* BONGIOVANNI, A. M., 146*
ANDRADA, J. A., *see* ARKUN, S. N., 984†
ANTONCHAK, B., *see* GAUNT, R., 915†
ARENDT, E. C., and PATTEE, C. J.: Studies on obesity. I. The Insulin-glucose tolerance curve, 367*
ARENDT, E. C., and PATTEE, C. J.: Studies on obesity. I. The Insulin-glucose tolerance curve, 367*
——, and PATTEE, C. J.: II. Blood pyruvate and lactate curves in obese and normal subjects after ingestion of glucose, 375*
——, and PATTEE, C. J.: III. Effect of ascorbic acid on the insulin-glucose tolerance curve, 653*
AREY, J. B., *see* DIGEORGE, A. M., 1281*
ARKUN, S. N.; ANDRADA, J. A.; GURTMAN, A.; EPSTEIN, J. A., and KUPPERMAN, H. S.: Corticoids and carbohydrate metabolism: effects of water-soluble and insoluble steroids after oral and intravenous glucose, 984†
ARONS, W. L., and HYDOVITZ, J. D.: The serum pattern of the thyroid hormones in various states of thyroid function, 928†
——; VANDERLINDE, R. J., and NUSIMOVICH, B.: Exchangeable body sodium and potassium measurements in hyper- and hypothyroidism, 974†
——, *see* ACKERMAN, N. B., 926†
ASHMORE, J.; CAHILL, G. F., JR.; ZOTTU, S., and HASTINGS, A. B.: Effects of hormones and ions on the *in vitro* synthesis of liver glycogen, 984†
ASHWORTH, E., *see* IZZO, A. J., 953†
ASPER, S. P., JR.: Metabolic activity of the optical isomers of triiodothyronine, 974†
——, *see* SHARRER, N. E., 1311*; WISWELL, J. G., 929†
ASSALI, N. S., *see* DIGNAM, W. S., 1032*
AVANDANO, L. H.; NELSON, D. H.; CRABBE, J.; ROSS, E. J.; RENOLD, A. E., and THORN, G. W.: Experience with a chemical method for the determination of aldosterone in urine, 920†

BAGGETT, B., *see* SAVARD, K., 970†, 1629*
BAHN, R. C., and BATES, R. W.: Histologic criteria for detection of prolactin: lack of prolactin in blood and urine of human subjects, 1337*
BAKKE, J. L.: A new assay for thyrotropin based upon water transfer in surviving thyroid slices, 974†
BALL, W. C., JR., *see* PECHET, M. M., 957†
BALLS, K. F., *see* SAMPSON, M. C., 980†
BANKS, J., *see* WILLIAMS-ASHMAN, H. G., 972†
BARKER, S. B.: *In vitro* effects of thyroxine and its analogs on metabolism of incubated kidney slices, 975†
BARR, M. L., *see* GRUMBACH, M M, 923†; PLUNKETT, E. R., 829*, 969†
BASSÖE, H. H.: Familial congenital muscular dystrophy with gonadal dysgenesis, 1614*
BATES, R. W., *see* BAHN, R. C., 1337*
BAULIEU, E.-E.; BRICAIRE, H., and JAYLE, M.-F., with the technical assistance of DE VIGAN, M.: Lack of secretion of 17-hydroxycorticosteroids in a pregnant woman with Addison's disease, 690*
BEACH, V. L., *see* KROC, R. L., 966†
BEAHRS, O. H.; RYAN, R. F., and WHITE, R. A.: Complications of thyroid surgery, 1456*
BECK, J. C., *see* VENNING, E. H., 1541*
BECK, R. E.; KRONSBEIN, J., and HOBBS, A. A., JR.: Technical considerations in I^{131} tracer studies, 1102*
BEIERWALTES, W. H., *see* CASTOR, C. W., 1026*
BENTINCK, R. C.; LISSER, H., and REILLY, W. A.: Female pseudohermaphrodism with penile urethra, masquerading as precocious puberty and cryptorchidism. Case report, 412*

INDEX TO VOLUME 16

AUTHOR INDEX

* Original article.
† Abstract of paper presented at the 1956 Annual Meeting of the Endocrine Society.

ABU HAYDAR N. *see* REDDY W. J. 380*
ACKERMAN N. B. and ARONS W. L.: Effect of epinephrine and nor-epinephrine on the thyroidal release of thyroid hormones in dogs, 926†
ADLERSBERG, D., *see* BOSSAK, E. T., 613*; WANG, C.-I., 992†
AGNA, J. W., and GOLDSMITH, R. E.: Primary hyperparathyroidism associated with hypomagnesemia—a report of 3 cases, 973†
AINGER, L. E., *see* BRILL, A. B., 262*
ALBERT, A., *see* MOLNAR, G. D., 927†
ALBRIGHT, F.: Hypoparathyroidism as a cause of osteomalacia, 419*
——, *see* HENNEMAN, P. H., 931†; NIELSEN, R. L., 968†
ALBUQUERQUE, D., *see* BERARDINELLI, W., 674*
ALIVISATOS, J. G., *see* MCCULLAGH, E. P., 397*
ALTZULER, N.; STEELE, R.; WALL, J. S., and DEBODO, R. C.: Studies with radioactive glucose on the effects of cortisone on carbohydrate metabolism in hypophysectomized dogs, 934†
——, *see* WALL, J. S., 991†
AMATRUDA, T. T., JR., and ENGEL, F. L.: The role of the hypophysis in the ketosis of fasting and insulin hypoglycemia, 983†
ANDERSON, E., *see* WILSON, H., 943†
ANDERSON, W., *see* KUMAR, D., 918†
ANDERSON, W. B., *see* BONGIOVANNI, A. M., 146*
ANDRADA, J. A., *see* ARKUN, S. N., 984†
ANTONCHAK, B., *see* GAUNT, R., 915†
ARENDT, E. C., and PATTEE, C. J.: Studies on obesity. I. The Insulin-glucose tolerance curve, 367*
ARENDT, E. C., and PATTEE, C. J.: Studies on obesity. I. The Insulin-glucose tolerance curve, 367*
——, and PATTEE, C. J.: II. Blood pyruvate and lactate curves in obese and normal subjects after ingestion of glucose, 375*
——, and PATTEE, C. J.: III. Effect of ascorbic acid on the insulin-glucose tolerance curve, 653*
AREY, J. B., *see* DIGEORGE, A. M., 1281*
ARKUN, S. N.; ANDRADA, J. A.; GURTMAN, A.; EPSTEIN, J. A., and KUPPERMAN, H. S.: Corticoids and carbohydrate metabolism: effects of water-soluble and insoluble steroids after oral and intravenous glucose, 984†
ARONS, W. L., and HYDOVITZ, J. D.: The serum pattern of the thyroid hormones in various states of thyroid function, 928†
——; VANDERLINDE, R. J., and NUSIMOVICH, B.: Exchangeable body sodium and potassium measurements in hyper- and hypothyroidism, 974†
——, *see* ACKERMAN, N. B., 926†
ASHMORE, J.; CAHILL, G. F., JR.; ZOTTU, S., and HASTINGS, A. B.: Effects of hormones and ions on the *in vitro* synthesis of liver glycogen, 984†
ASHWORTH, E., *see* IZZO, A. J., 953†
ASPER, S. P., JR.: Metabolic activity of the optical isomers of triiodothyronine, 974†
——, *see* SHARRER, N. E., 1311*; WISWELL, J. G., 929†
ASSALI, N. S., *see* DIGNAM, W. S., 1032*
AVANDANO, L. H.; NELSON, D. H.; CRABBE, J.; ROSS, E. J.; RENOLD, A. E., and THORN, G. W.: Experience with a chemical method for the determination of aldosterone in urine, 920†

BAGGETT, B., *see* SAVARD, K., 970†, 1629*
BAHN, R. C., and BATES, R. W.: Histologic criteria for detection of prolactin: lack of prolactin in blood and urine of human subjects, 1337*
BAKKE, J. L.: A new assay for thyrotropin based upon water transfer in surviving thyroid slices, 974†
BALL, W. C., JR., *see* PECHET, M. M., 957†
BALLS, K. F., *see* SAMPSON, M. C., 980†
BANKS, J., *see* WILLIAMS-ASHMAN, H. G., 972†
BARKER, S. B.: *In vitro* effects of thyroxine and its analogs on metabolism of incubated kidney slices, 975†
BARR, M. L., *see* GRUMBACH, M M, 923†; PLUNKETT, E. R., 829*, 969†
BASSÖE, H. H.: Familial congenital muscular dystrophy with gonadal dysgenesis, 1614*
BATES, R. W., *see* BAHN, R. C., 1337*
BAULIEU, E.-E.; BRICAIRE, H., and JAYLE, M.-F., with the technical assistance of DE VIGAN, M.: Lack of secretion of 17-hydroxycorticosteroids in a pregnant woman with Addison's disease, 690*
BEACH, V. L., *see* KROC, R. L., 966†
BEAHRS, O. H.; RYAN, R. F., and WHITE, R. A.: Complications of thyroid surgery, 1456*
BECK, J. C., *see* VENNING, E. H., 1541*
BECK, R. E.; KRONSBEIN, J., and HOBBS, A. A., JR.: Technical considerations in I^{131} tracer studies, 1102*
BEIERWALTES, W. H., *see* CASTOR, C. W., 1026*
BENTINCK, R. C.; LISSER, H., and REILLY, W. A.: Female pseudohermaphrodism with penile urethra, masquerading as precocious puberty and cryptorchidism. Case report, 412*

BERARDINELLI, W.; PAULINO, F.; CORDEIRO, J. G., and ALBUQUERQUE, D.: Sexual and somatic precocity with some features of Cushing's syndrome in a 2-year-old male, 674*

BERGENSTAL, D. M., *see* LANDAU, R. L., 931†; LI, M. C., 955†

BERGER, E., *see* SPENCER, H., 981†

BERLINER, D. L., and SALHANICK, H. A.: The presence of 6-β-hydroxylase in human placenta, 903*

BERMAN, L. W., *see* WEST, C. D., 972†

BERMAN, R. L.: Comments on rat hyperemia pregnancy test, 290*

BERNSTORF, E. C.: Hepatic inactivation of androgen in the capon, 962†

BETHUNE, J. E.; GANONG, W. F.; HUME, D. M., and NELSON, D. H.: Plasma levels of ACTH in normal subjects and Addisonian patients following corticosteroid administration, 913†

BEUTNER, E. H., *see* KENNY, A. D., 978†

BIRKE, G.; PLANTIN, L.-O., and DICZFALUSY, E.: Fluctuation in the excretion of adrenocortical steroids in a case of Cushing's syndrome, 286*

BISSELL, G. W.: The role of triiodothyronine in the treatment of thyroid disease, 975†

BITTNER, J. J., *see* CHAUDRY, A. P., 944†; HALBERG, F., 951†

BLACK, B. M., *see* HAYLES, A. B., 1580*

BLANC, W. A., *see* GRUMBACH, M. M., 923†

BLISS, E. L., *see* MIGEON, C. J., 253*, 622*

BLIVAISS, B. B.; HANSON, R. O.; KUTUZOV, H., and PESCHIN, A.: Effects of anti-ICSH serum on testes of estrogen-treated strain A mice, 962†

BLOCH, E., *see* COHEN, A. I., 945†; FREEMAN, H., 779*

BLOODWORTH, J. M. B., JR., and HAMWI, GEORGE J.: The effect of diet, antibiotics and vitamin B_{12} on experimental glomerular lesions produced by cortisone, 944†

BOCCABELLA, R. A., *see* BRADBURY, J. T., 689*

BOIS, P., *see* SELYE, H., 918†, 960†, 1631*

BONGIOVANNI, A. M., and EBERLEIN, W. R.: The renal excretion of steroids, 963†

——; EBERLEIN, W. R.; THOMAS, P. Z., and ANDERSON, W. B.: Sporadic goiter of the newborn, 146*

——, *see* DIGEORGE, A. M., 1281*; EBERLEIN, W. R., 920†

BOSSAK, E. T.; WANG, C-I., and ADLERSBERG, D.: Species variations in the response of serum proteins, lipids and liproproteins to the cortisones, 613*

BOWERS, C. Y., *see* SEGALOFF, A., 959†

BRADBURY, J. T.; BUNGE, R. G., and BOCCABELLA, R. A.: Chromatin test in Klinefelter's syndrome, 689*

——, *see* BUNGE, R. G., 1117*

BRADLOW, H. L., *see* HELLMAN, L., 951†

BRICAIRE, H., *see* BAULIEU, E.-E., 690*

BRIGGS, D. K., and KUPPERMAN, H. S.: Sex differentiation by leukocyte morphology, 1163*

——, and KUPPERMAN, H. S.: The diagnostic value and determination of genetic sex from leukocyte morphology in endocrinopathies, 963†

BRILL, A. B.; ELY, R. S.; DONE, A. K.; AINGER, L. E., and KELLEY, V. C.: Blood adrenocorticotropin (ACTH) in children with rheumatic fever, 262*

BROWN, F. R., JR., *see* FRISKEY, R. W., 986†; KINSELL, L. W., 821*, 912†

BROWN, H., and MIGEON, C. J.: Effect of intravenous administration of testosterone and progesterone on the plasma 17-hydroxycorticosteroid level in man, 1227*

——, and SAMUELS, L. T.: Effect of intravenous testosterone on nitrogen balance in man, 775*

——, *see* SKILLERN, P. G., 35*

BROWN, J. B., *see* LORAINE, J. A., 1180*

BROWN, J. H. U., *see* HESS, M., 938†

BUCHANAN, J. R., *see* HORWITH, M., 977†

BUFFETT, R. F., *see* COHEN, A. I., 945†

BUNCH, L. D., *see* HAMILTON, J. B., 301*, 463*

BUNGE, R. G., and BRADBURY, J. T.: Genetic sex: chromatin test versus gonadal histology, 1117*

——, *see* BRADBURY, J. T., 689*

BURROWS, B. A., *see* MITCHELL, M. L., 979†

BURTON, R. B., *see* IZZO, A. J., 953†

BUSCH, R. D., *see* SILBER, R. H., 1333*

BUSZA, A., *see* JABLONS, B., 987†

CAHILL, G. F., JR., and EARLE, A. S.: *In vivo* effects of glucagon on hepatic glycogen and glycogenolytic enzymes, 935†

——, *see* ASHMORE, J., 984†

CANARY, J. J., *see* KYLE, L. H., 599*, 941†

CARBO, L., *see* CAREN, R., 507*

CAREN, R., and CARBO, L.: Pancreatic alpha-cell function in relation to cholesterol metabolism, 507*

CAREY, R. A., *see* CONNOR, T. B., 945†

CARMONA, N., *see* GREENBLATT, R. B., 235*

CARPENTIER, P. J.; STOLTE, L. A. M., and VISSCHERS, G. P.: Determination of genetic sex by the vaginal smear, 155*

CARROLL, E. L., *see* HENNEMAN, P. H., 931†

CARTER, A. C., *see* HORWITH, M., 977†

CASPI, E., *see* HECHTER, O., 916†

CASTLE, H., *see* MIGEON, C. J., 622*

CASTOR, C. W., and BEIERWALTES, W. H., with the technical assistance of DORSTEWITZ, E. and CAGE, J. E.: Effect of 2,4-dinitrophenol on thyroid function in man, 1026*

CERVIÑO, J. M., *see* RAVERA, J. J., 817*

CHAIKOFF, I. L., *see* TAUROG, A., 982†

CHAMBERS, E. L., JR.; GORDAN, G. S.; GOLDMAN, L., and REIFENSTEIN, E. C., JR.: New laboratory aids in the diagnosis of hyperparathyroidism, 930†

——; and SAME AUTHORS: Tests for hyperparathyroidism; tubular reabsorption of phosphate, phosphate deprivation, and calcium infusion, 1507*

CHANNICK, B. J.; SCHNEEBERG, N. G., and PERLOFF, W. H.: Response of serum protein-bound iodine level to thyrotropic hormone in the diagnosis of hypothyroidism, 976†

——, *see* NODINE, J. H., 930†

CHART, J. J., *see* GAUNT, R., 915†

CHAUDRY, A. P.; HALBERG, F., and BITTNER, J. J.: Inhibition by 9γ-fluorocortisol of mitotic activity in pinna epidermis of mice, 944†

CHEVALLEY, J., *see* MCGAVACK, T. H., 887*
CHRISTY, N. P.; KNIGHT, M.; LONGSON, D., and JAILER, J. W.: Inhibition by chlorpromazine of the adrenocortical response to insulin hypoglycemia, 913†
——; WALLACE, E. Z., and JAILER, J. W.: Comparative effects of prednisone and of cortisone in suppressing the response of the adrenal cortex to exogenous adrenocorticotropin, 1059*
——, *see* JAILER, J. W., 1276*
CLARK, E. C., *see* RANDALL, R. V., 942†
CLARKE, B. G.; SHAPIRO, S., and MONROE, R. G.: Myotonia atrophica with testicular atrophy; urinary excretion of interstitial-cell-stimulating (luteinizing) hormone, androgens, and 17-ketosteroids, 1235*
CODA, G., *see* COTTINO, F., 830*
COHEN, A. I.; BLOCH, E.; BUFFETT, R. F., and FURTH, J.: Functional adrenal tumor transplants in mice and rats, 945†
COHEN, E. I.: Residual exophthalmos, 559*
COLE, W. H., *see* MAJARAKIS, J. D., 1487*
COLEMAN, J., *see* CRISPELL, K. R., 976†
CONNOR, T. B.; HOPKINS, T. R.; THOMAS, W. C., JR.; CAREY, R. A., and HOWARD, J. E.: The use of cortisone and ACTH in hypercalcemic states, 945†
COOPER, G. W., *see* JEFFERIES, W. MCK., 1438*
CORCORAN, A. C., *see* SKILLERN, P. G., 171*
CORDEIRO, J. G., *see* BERARDINELLI, W., 674*
COSTA, G., and KOCHAKIAN, C. D.: Metabolic effects of testosterone in the depancreatized dog, 933†
COTTINO, F.; FERRARIS, G. M., and CODA, G.: Thyroidal function in mongolism, 830*
COX, R. W.; NARAHARA, H. T.; HENLEY, E. D., and WILLIAMS, R. H.: Distribution and degradation of radioiodinated glucagon in rats, 985†
——, *see* NARAHARA, H. T., 935†
CRABBE, J., *see* AVANDANO, L. H., 920†
CRAMER, L. M., and NADEL, E. M.: Effect of prednisone upon gastric wound healing, 945†
CRANE, J., *see* DIRAIMONDO, V., 946†
CRILE, G., JR., *see* SKILLERN, P. G., 35*, 1422*
CRISPELL, K. R.; COLEMAN, J., and PARSON, W.: Further studies in the *in vitro* uptake of I^{131} labeled *l*-thyroxine and *l*-triiodothyronine by human erythrocytes, 976†

DAMAST, B., *see* WEST, C. D., 972†
DANEMAN, E. A., *see* FREEMAN, H., 779*
D'ANGELO, S. A.: The metabolic fate of thyrotropic hormone, 976†
DANIELSON, E., *see* SACHS, B. A., 1388*
DANOWSKI, T. S., *see* GREENMAN, L., 634*
DAUGHADAY, W. H., *see* SALMON, W. D., JR., 988†
DAVIDSON, J. N., *see* SYMINGTON, T., 580*
DAVIS, J. O., *see* PECHET, M. M., 957†
DAWSON, J. W., *see* EZRIN, C., 937†
DEBODO, R. C., *see* ALTZULER, N., 934†
DECKER, H. A., *see* MIGEON, C. J., 1137*
DE FEO, V. J.: Loss of uterine sensitivity in the rat following the production of deciduoma, 925†
DE FEUEREISEN, L., *see* VARGAS, L., 662*
DEFILLIPPIS, V.; YOUNG, I. I., and WOLFSON, W. Q.: Effect of exogenous corticotropin and corticosteroids on urinary excretion of blue-tetrazolium-reducing and phenylhydrazine-reactive steroids, 936†
DELL, E. S., *see* MITCHELL, M. L., 979†
DESPOINTES, R. H., *see* DINGMAN, J. F., 936†
DICZFALUSY, E., *see* BIRKE, G., 286*
DIENGOTT, D., *see* KLEEBERG, J., 680*; MIRSKY, I. A., 932†
DIGEORGE, A. M.; AREY, J. B., and BONGIOVANNI, A. M.: Plasma 17-ketosteroids in an anencephalic infant, 1281*
DIGNAM, W. S.; VOSKIAN, J., and ASSALI, N. S., with the technical assistance of ROSS, M.: Effects of estrogens on renal hemodynamics and excretion of electrolytes in human subjects, 1032*
DIMICK, D., *see* LANDAU, R. L., 931†
DINGMAN, J. F., and DESPOINTES, R. H.: Hypothalamic action of adrenal steroids, 936†
DIRAIMONDO, V.; ISLAND, D.; CRANE, J.; LOTT, J., and FORSHAM, P. H.: Correlation of morphology and function in abnormal adrenocortical states, 946†
——, *see* POISNICK, J., 957†
DOBYNS, B. M., and HIRSCH, E. Z.: Iodinated compounds in the lymphatic pathways leading from the thyroid, 153*
DOCTOR, V. M.; REEDER, J. W., and TRUNNELL, J. B.: Metabolic interrelationship between folic acid and sex hormones, 964†
DODGE, H. W., JR., *see* RANDALL, R. V., 942†
DOE, R. P.: FLINK, E. B., and GOODSELL, M. G.: Relationship of diurnal variation in 17-hydroxycorticosteroid levels in blood and urine to eosinophils and electrolyte excretion, 196*
DOLGER, H., *see* MIRSKY, I. A., 932†
DOMM, L. V., and LEROY, P.: Precocious eruption of the rat incisor following the administration of cortisone, 946†
DONE, A. K., and KELLEY, V. C.: The half-life of exogenous adrenocorticosteroids in health and disease, 921†
——, *see* BRILL, A. B., 262*
DORFMAN, R. I., *see* FORCHIELLI, E., 947†; FREEMAN, H., 779*; RUBIN, B. L., 924†; SAVARD, K., 970†, 1629*; UNGAR, F., 920†
DOWLING, J. T.; FREINKEL, N., and INGBAR, S. H.: Effect of diethylstilbestrol on the binding of thyroxine in serum, 1491*
——, and SAME AUTHORS: Thyroxine-binding by sera of pregnant women, 280*
DRESNER, S., *see* NODINE, J. H., 930†
DUGUID, W. P., *see* SYMINGTON, T., 580*
DYRENFURTH, I., *see* VENNING, E. H., 426*, 961†, 1326*, 1541*

EARLE, A. S., *see* CAHILL, G. F., JR., 935†
EBERLEIN, W. R., and BONGIOVANNI, A. M.: 11β-Hydroxylase deficiency in the hypertensive form of congenital adrenal hyperplasia, 920†
——, *see* BONGIOVANNI, A. M., 146*, 963†
EIK-NES, K., *see* SAMUELS, L. T., 917†; SANDBERG, A. A., 1001*; TYLER, F. H., 960†
EILERS, A., *see* IZZO, J. L., 987†
EISELE, M. L., *see* GOLDSMITH, R. E., 130*

ELMADJIAN, F.; HOPE, J. M., and PINCUS, G.: The action of mono-ammonium glycyrrhizinate on adrenalectomized subjects and its synergism with hydrocortisone, 338*
——; LAMSON, E. T.; FREEMAN, H.; NERI, R., and VARJABEDIAN, L.: Excretion of epinephrine and norepinephrine after administration of insulin and methacholine, 876*
——; LAMSON, E. T., and NERI, R.: Excretion of adrenaline and noradrenaline in human subjects, 222*
——; LAMSON, E. T., and NERI, R.: The nature of adrenaline and noradrenaline in normal human urine, 216*
——, *see* FREEMAN, H., 779*; LAMSON, E. T., 954†
ELY, R. S., *see* BRILL, A. B., 262*; HUGHES, E. R., 952†
EMANUEL, R. W.: Endocrine activity in anorexia nervosa, 801*
ENGBRING, N. H., *see* ENGSTROM, W. W., 1126*
ENGEL, F. L., *see* AMATRUDA, T. T., 983†; OWEN, J. A., JR., 933†
ENGEL, G. L., *see* FRIEDMAN, S. B., 839*
ENGEL, L. L., *see* SAVARD, K., 970†, 1629*
ENGLE, E. T., *see* GRUMBACH, M. M., 923†
ENGSTROM, W. W.; ENGBRING, N. H., and SCHROEDER, C. M.: Chronic adrenocortical insufficiency and carcinoma of the breast, 1126*
EPSTEIN, J., and KUPPERMAN, H. S.: Alteration of carbohydrate metabolism in the adrenogenital syndrome, 985†
——, *see* ARKUN, S. N., 984†; GOLDMAN, J., 926†
ERICKSON, E. E., *see* MALUF, N. S. R., 1217*
ESSELBORN, V. M., *see* KESSLER, M. F., 489*; WHITAKER, J., 1374*
EZRIN, C.; WILSON, W. D.; DAWSON, J. W., and HILL, F. M.: The cytology of the adenohypophysis in various disorders of the adrenal cortex, 937†

FAIRBANKS, R., *see* WILSON, H., 86*
FARNSWORTH, W. E.: Do gonadotropins affect adrenal growth and secretion, 947†
FARRELL, G. L., *see* RAUSCHKOLB, E. W., 915†
FEFFER, M. H., *see* FREEMAN, H., 779*
FELLINGER, K.; HÖFER, R., and VETTER, H., with the technical assistance of WÜSTINGER, G.: Salivary and thyroidal radioiodide clearances of plasma in various states of thyroid function, 449*
FERRARIS, G. M., *see* COTTINO, F., 830*
FLINK, E. B., *see* DOE, R. P., 196*
FLORENTIN, A. A., *see* MIGEON, C. L., 622*
FLORSHEIM, W. H.; MOSKOWITZ, N., and MORTON, M. E.: An *in vitro* assay for thyrotropin, 927†
FORBES, T. R.: Rate of absorption in mice of intraperitoneally injected progesterone, 964†
FORCHIELLI, E., and DORFMAN, R. I.: *In vitro* metabolism of 11-deoxycortisol, 947†
FORSHAM, P. H., *see* DIRAIMONDO, V., 946†; MORTIMORE, G. E., 932†
FRANK, E., *see* HECHTER, O., 916†
FRANK, H., *see* HECHTER, O., 916†
FRANTZ, V. K., *see* HARLAND, W. A., 1433*
FRAPPIER, A., *see* STERNBERG, J., 989†
FRAWLEY, T. F., *see* MCCLINTOCK, J. C., 62*
FREEMAN, H.; PARSONS, O. A.; FEFFER, M. H.; PHILLIPS, L.; DANEMAN, E. A.; ELMADJIAN, F.; BLOCH, E.; DORFMAN, R. I., and PINCUS, G.: Steroid replacement in aged men, 779*
——, *see* ELMADJIAN, F., 876*
FREINKEL, N., *see* DOWLING, J. T., 280*, 1491*; KUMAGAI, L. F., 954†
FRIEDMAN, S. B., and ENGEL, G. L.: Effect of cortisone and adrenocorticotropin on the electroencephalogram of normal adults; quantitative frequency analyses, 839*
FRISKEY, R. W.; MICHAELS, G. D.; BROWN, F. R., JR., and KINSELL, L. W.: Adrenocortical function in diabetes, 986†
——, *see* KINSELL, L. W., 821*, 912†
FROESCH, E. R.; GANONG, W. F.; GOODALE, W. T., and RENOLD, A. E.: Dissociation of anabolic and carbohydrate effects of growth hormone in man, 937†
——, *see* RENOLD, A. E., 958†
FROMM, G. A.: Concerning the term "pseudo-pseudohypoparathyroidism," 293*
FRUHMAN, G. J., *see* GORDON, A. S., 949†
FUJITA, T.: Detection of ACTH in normal blood by a modification of the Sydnor-Sayers method, 937†
FUKUSHIMA, D. K., *see* KAPPAS, A., 948†
FULLER, N. E., *see* SAUNDERS, F. J., 970†
FURMAN, R. H., *see* HOWARD, R. P., 965†
FURTH, J., *see* COHEN, A. I., 945†

GABRIELSEN, Z. and KRETCHMAR, A. L.: Studies on the salivary secretion of iodide, 1347*
GALLAGHER, T. F.; KAPPAS, A.; SPENCER, H., and LASZLO, D.: Serial studies of steroid excretory patterns in metastatic adrenocortical carcinoma responsive to ACTH, cortisone and amphenone, 919†
——, *see* HELLMAN, L., 951†; *see* KAPPAS, A., 517*, 948†
GANDY, H. M.: Partial characterization of C_{21} steroids in the urines of children with the adrenogenital syndrome, 948†
GANONG, W. F., *see* BETHUNE, J. E., 913†; FROESCH, E. R., 937†
GARDEN, L. I., and TICE, A. A.: Isolation of a highly unsaturated ketonic compound less polar than progesterone from the newborn adrenal, 949†
GAUNT, R.; CHART, J. J., and ANTONCHAK, B.: Effect of adrenal hormones on the neurosecretory material of the neurohypophysis, 915†
GEMZELL, C. A., and NOTTER, G.: Effect of androgens on plasma levels of 17-hydroxycorticosteroids, 483*
GENEST, J., *see* NOWACZYNSKI, W., 956†
GIGEE, W., *see* RAAB, W., 958†, 1196*
GIROUD, C. J. P., *see* VENNING, E. H., 1326*
GLICKMAN, P. B., and PULLMAN, T. N.: Effect of piperoxane hydrochloride (Benodaine) on the hypertension accompanying Cushing's syndrome, 529*
GOLD, N. I.; MACFARLANE, D. A., and MOORE, F. D.: Quantitative urinary 17-hydroxycorticosteroid patterns: effect of ACTH and "operative stress," 282*

GOLDFEIN, A.; ZILELI, M. S., and GOODMAN, D.: The measurement of epinephrine and norepinephrine in human plasma, 949†
GOLDMAN, J.; EPSTEIN, J., and KUPPERMAN, H. S.: Inhibition of pituitary gonadotropic secretion with nor-ethandrolone in anabolic, nonandrogenic doses, 926†
GOLDMAN, L., *see* CHAMBERS, E. L., JR., 930†, 1507*
GOLDMAN, R., and LUCHSINGER, E. B.: Relationship between diurnal variations in urinary volume and the excretion of antidiuretic substance, 28*
GOLDSMITH, R. E., and EISELE, M. L.: The effect of iodide on the release of thyroid hormone in hyperthyroidism, 130*
——, *see* AGNA, J. W., 973†
GOLDZIEHER, J. W., *see* MANDELSTAM, P., 955†
GOLDZIEHER, M. A.: Treatment of excessive growth in the adolescent female, 249*
GOODALE, W. T., *see* FROESCH, E. R., 937†
GOODKIND, M. J., *see* PECHET, M. M., 957†
GOODMAN, D., *see* GOLDFEIN, A., 949†
GOODSELL, M. G., *see* DOE, R. P., 196†
GORDAN, G. S., *see* CHAMBERS, E. L., JR., 930†, 1507*
GORDON, A. S.; FRUHMAN, G. J., and SIEGEL, C. D.: Influence of hormonal factors and antimetabolites upon blood formation, 949†
GORDON, D. L., *see* SEGALOFF, A., 959†
GORNALL, A. G.; GWILLIAM, C., and HALL, A. E. D.: Aldosterone excretion in various clinical states, 950†
——, *see* KUMAR, D., 918†
GOTTFRIED, J., *see* KLEEBERG, J., 680*
GRAFF, M. M., *see* HERTZ, R., 705*; LI, M. C., 955†
GRAHAM, D. E., *see* MITCHELL, M. L., 979†
GRAUER, R. C., *see* SAIER, E. L., 535*
GRAY, C. H.; LUNNON, J. B.; POND, M. H., and SIMPSON, S. L.: Steroid studies in normal and adipose children, 473*
GREENBLATT, R. B.: A new simplified staining procedure for oral mucosal smears in determination of chromosomal sex, 964†
——: The progestational activity of 17-α-ethinyl-19-nortestosterone, 869*
——; CARMONA, N., and HIGDON, L.: Gonadal dysgenesis with androgenic manifestations in the tall eunuchoid female, 235*
——, *see* JUNGCK, E. C., 940†
GREENE, R., and MORGAN, D. C.: Toxicity of the antithyroid drug carbimazole, 391*
GREENMAN, L.; WEIGAND, F. A.; MATEER, F. M., and DANOWSKI, T. S.: : Cortisone therapy of rheumatic fever: relation of clinical response to levels of serum protein-bound iodine, serum corticoids and urinary 17-ketosteroids, 634*
GREENWALD, I.: Notes on the history of goiter in Sweden, 977†
——: The relation of deaf-mutism to endemic goiter, 977†
GREEP, R. O., *see* KNOBIL, E., 916†
GROLLMAN, A.: The kidney as an organ of internal secretion, 986†
GROSSMAN, J., *see* WESTON, R. E., 322*
GRUMBACH, M. M.; ENGLE, E. T.; BLANC, W. A., and BARR, M. L.: The sex chromatin pattern in testicular disorders: relationship to pathogenesis and to true hermaphrodism, 923†
——, and WERNER, S. C.: Transfer of thyroid hormone across the human placents at term, 1392*
GULYASSY, P. F., and RINFRET, A. P.: An improved method for chromatography of urinary corticoids applied to various adrenocortical states, 950†
GUREVICH, N., *see* PASQUALINI, R. Q., 406*
GURTMAN, A., *see* ARKUN, S. N., 984†
GWILLIAM, C., *see* GORNALL, A. G., 950†

HAAR, H. O., *see* MCGAVACK, T. H., 887*
HADD, H. E., and PERLOFF, W. H.: A simplified distilling head for the measurement of corticosteroids by the formaldehydogenic method, 138*
HALBERG, F.; HAMERSTON, O., and BITTNER, J. J.: Antitoxic and eosinopenic activities of Δ^1-9γ-fluorocortisol acetate and related compounds, 951†
——, *see* CHAUDHRY, A. P., 944†
HALL, A. E. D., *see* GORNALL, A. G., 950†
HALMI, N. S., and SPIRTOS, B. N.: Metabolic-endocrine alterations in underfed rats, 986†
HAMERSTON, O., *see* HALBERG, F., 951†
HAMILTON, J. B.; BUNCH, L., and HIRSCHMAN, A.: Serum inorganic phosphorus levels in males and females at progressive ages, with concomitant measurements of urinary ketosteroids and androgens in men, 463*
——; BUNCH, L. D.; MESTLER, G. E., and IMAGAWA, R.: Effect of orchiectomy upon chemical constituents of blood in young mature males, with special reference to sustained increase in the level of serum inorganic phosphorus, 301*
HAMPSON, J. G.; MONEY, J., and HAMPSON, J. L.: Hermaphrodism: recommendations concerning case management, 547*
HAMPSON, J. L., *see* HAMPSON, J. G., 547*
HAMWI, G. J., *see* BLOODWORTH, J. M. B., JR., 944†
HANENSON, I. B., *see* WESTON, R. E., 322*
HANSON, R. O., *see* BLIVAISS, B. B., 962†
HARLAND, W. A., and FRANTZ, V. K.: Clinicopathologic study of 261 surgical cases of so-called "thyroiditis," 1433*
HARWOOD, C. T.: Effect of tranquilizing agents on ACTH secretion, 938†
——, and MASON, J. W.: A systematic evaluation of the Nelson-Samuels plasma 17-hydroxycorticosteroid method, 790*
HASTINGS, A. B., *see* ASHMORE, J., 984†
HAYLES, A. B.; KENNEDY, R. L. J.; WOOLNER, L. B., and BLACK, B. N.: Nodular lesions of the thyroid gland in children, 1580*
HAZARD, J. B., *see* SKILLERN, P. G., 35*
HECHTER, O.; FRANK, E.; CASPI, E., and FRANK, H.: Rate of *in vitro* transformation of cortisone and hydrocortisone by dog liver, 916†
HECKEL, G. P., and LEAHY, M. F.: The allergenic properties of steroid hormone metabolites, 965†
HELLMAN, L.; BRADLOW, H. L., and GALLAGHER, T. F.: The metabolic fate of oral testosterone and hydrocortisone in man, 951†

——, *see* KAPPAS, A., 948†
HENDERSON, I. D.: Cyclical changes in female nasal mucus, 905*
HENLEY, E. D., *see* COX, R. W., 985†; NARAHARA, H. T., 935†
HENNEMAN, P. H.; CARROLL, E. L., and ALBRIGHT, F.: The effect of sodium phytate on calcium and magnesium metabolism, 931†
——, *see* NIELSEN, R. L., 968†
HENNIGER, G., *see* NICHOLS, J., 956†
HENRIQUES, O. B., *see* MILLER DE PAIVA, L., 894*
HENRIQUES, S. B., *see* MILLER DE PAIVA, L., 894*
HERTZ, R.: Pituitary independence of the prepubertal development of the ovary, 925†
——; PITTMAN, J. A., and GRAFF, M. M.: Amphenone: toxicity and effects on adrenal and thyroid function in man, 705*
HESS, M., and BROWN, J. H. U.: Separation of anterior pituitary fractions for hormone content by ultracentrifugation, 938†
HEUSER, G., and SELYE, H.: Conditioning for anesthesia with cortisol hemisuccinate sodium, 952†
HIBBETT, L. L., and HILL, S. R., JR.: The interrelationships between testicular interstitial cell and adrenocortical response to adrenocorticotropin and chorionic gonadotropin, 939†
HIGDON, L., *see* GREENBLATT, R. B., 235*
HILL, F. M., *see* EZRIN, C., 937†
HILL, S. R., Jr., *see* HIBBETT, L. L., 939†
HILLS, A. G.; ZINTEL, H. A., and PARSONS, D. W.: Adrenal deficiency and shortcomings of cortisone therapy in patients with spontaneous and iatrogenic adrenal deficiency, 921†
HIRSCH, E. Z., *see* DOBYNS, B. M., 153*
HIRSCHMAN, A., *see* HAMILTON, J. B., 463*
HOBBS, A. A., JR., *see* BECK, R. E., 1102*
HÖFER, R., *see* FELLINGER, K., 449*
HOFFENBERG, R., *see* JACKSON, W. P. U., 1043*
HOLDEN, J. H. P., *see* MCCLINTOCK, J. C., 62*
HOLLIFIELD, G., and PARSON, W.: Differences in fat metabolism in mice with gold thioglucose-induced obesity and with congenital obesity, 939†
——, *see* PARSON, W., 968†
HON, E. H., and MORRIS, J. M.: Further experience with the toad method of testing for chorionic gonadotropin in normal and in disturbed pregnancy, 1354*
HOPE, J. M., *see* ELMADJIAN, F., 338*, 954†
HOPKINS, T. R., *see* CONNOR, T. B., 945†
HOPPER, J., JR., *see* MORTIMORE, G. E., 932†
HOROWITZ, H. B., *see* WESTON, R. E., 322*
HORWITH, M.; SHORR, E.; CARTER, A. C.; STOKES, P. E., and BUCHANAN, J. R.: The reliability of the calcium tolerance test in the diagnosis of hyperparathyroidism, 977†
HOWARD, J. E., *see* CONNOR, T. B., 945†
HOWARD, R. B., *see* TURNER, H. H., 141*
HOWARD, R. P., and FURMAN, R. H.: Androgenic pattern of response of the serum lipid and lipoprotein distribution to chorionic gonadotropin therapy, 965†
——; KEATY, E. C., and REIFENSTEIN, E. C., JR.: Comparative effects of various estrogens on urinary gonadotropins (FSH) in oophorectomized women, 966†
HUDSON, P. B., *see* LOMBARDO, M. E., 1283*
HUGHES, E. R., and ELY, R. S.: Corticosterone secretion and metabolism in children, 952†
HUME, D. M., *see* BETHUNE, J. E., 913†
HYDOVITZ, J. D., and ROSE, E.: Goiter and myxedema following prolonged ingestion of iodine: report of a case with evidence of unusual thyroid dysfunction, 1109*
——, *see* ARONS, W. L., 928†; SAMPSON, M. C., 980†

IMAGAWA, R., *see* HAMILTON, J. B., 301*
INGBAR, S. H., *see* DOWLING, J. T., 280*, 1491*; KUMAGAI, L. F., 954†
IRVINE, E., *see* MORTIMORE, G. E., 932†
IRWIN, L., *see* JACKSON, W. P. U., 1043*
ISHIHARA, I.; MUKAI, T., and TANAKA, T.: ACTH resistance in acromegaly, 207*
ISLAND, D., *see* DIRAIMONDO, V., 946†
IZZO, A. J.; ASHWORTH, E.; LEAHY, M. F., and BURTON, R. B.: Comparison of steroid excretion and metabolic effects of cortisone and hydrocortisone administered by different routes, 953†
IZZO, J. L.; EILERS, A., and RONCONE, A.: Metabolic effects of prednisone (Meticorten) in patients with diabetes mellitus, 987†

JABLONS, B., and BUSZA, A.: Inhibitory action of renal extract tubulin on the effect of prednisone in diabetes mellitus, 987†
JACKSON, W. P. U.: Post-thyroidectomy hypothyroidism, hypoparathyroidism, exophthalmos and galactorrhea with normal menstruation: metabolic response to probenecid, 1245*
——; HOFFENBERG, R.; LINDER, G. C., and IRWIN, L.: Syndrome of steatorrhea, pseudohypoparathyroidism, and amenorrhea. Observations on the calcium infusion test, and the effect of probenecid on calcium and phosphorus metabolism, 1043*
JAILER, J. W.; LONGSON, D., and CHRISTY, N. P.: Cushing's syndrome—an adrenal or pituitary disease, 1276*
——, *see* CHRISTY, N. P., 913†, 1059*
JASMIN, G., *see* SELYE, H., 918†
JAYLE, M.-F., *see* BAULIEU, E.-E., 690*
JEFFERIES, W. MCK.; KELLY, L. W., JR.; LEVY, R. P.; COOPER, G. W., and PROUTY, R. L.: The significance of low thyroid reserve, 1438*
JOËL, C. A., and LANCET, M.: The question of a psychogenic factor in some cases of primary amenorrhea, 908*
JOHNSON, B. B.; LIEBERMAN, A. H., and MULROW, P. J.: Aldosterone excretion in normal subjects depleted of sodium and potassium, 953†
JOHNSON, P. C.; JONES, R. W.; MOWDY, T., and SCAFF, W. L.: Suppression of pigment formation in *Brachydanio rerio* (zebra fish) embryos by thyroid hormone, 978†
JOHNSTON, R. E., *see* LYONS, W. R., 967†
JONES, R. W., *see* JOHNSON, P. C., 978†
JORJORIAN, D., *see* LAMSON, E. T., 954†
JUNGCK, E. C.; ROSENBERG, A. P., and GREENBLATT, R. B.: Use of Adsormone for the con-

centration of pituitary gonadotropic hormones from urine, 940†

KALBIAN, V. V.: Laurence-Moon-Biedl syndrome in an Arab boy; familial incidence, 1622*
KAPPAS, A.; HELLMAN, L.; FUKUSHIMA, D. K., and GALLAGHER, T. F.: The pyrogenic effect of etiocholanolone (3α-hydroxyetiocholane-17-one), 948†
——; PEARSON, O. H.; WEST, C. B., and GALLAGHER, T. F.: A study of "idiopathic" hirsutism; a transitional adrenal abnormality, 517*
——, *see* GALLAGHER, T. F., 919†
KASSENAAR, A. A. H., *see* QUERIDO, A., 1096*; STANBURY, J. B., 735*, 848*
KEASLING, J. E., *see* KINSELL, L. W., 912†
KEATING, F. R., JR., *see* MCCONAHEY, W. M., 724*; MOLNAR, G. D., 927†
KEATY, E. C., *see* HOWARD, R. P., 966†
KELLER, A. R., *see* MIGEON, C. J., 253*
KELLER, M.: Increased urinary estrogen and 17-ketosteroid excretion associated with adrenal adenoma. Isolation of cholestanedione-3,6 from the tumor, 1075*
KELLEY, V. C., *see* BRILL, A. B., 262*; DONE, A. K., 921†
KELLY, L. W., JR., *see* JEFFERIES, W. MCK., 1438*
KENNEDY, R. L. J., *see* HAYES, A. B., 1580*
KENNY, A. D.; ROSENBERG, E. H.; BEUTNER, E. H., and MUNSON, P. L.: Studies on parathyroid extract, 978†
KESSLER, M. F.; KNOWLES, H. C., JR., and ESSELBORN, V. M.: The persistence of insulin sensitivity in acute adrenocortical hyperactivity induced by corticotropin in normal man, 489*
KINSELL, L. W.; BROWN, F. R., JR.; FRISKEY, R. W., and MICHAELS, G. D., with the technical assistance of COELHO, M.; FUKAYAMA, G.; OLSON, F., and JONES, E.: Insulin-sparing sulfonamides, 821*
——; MICHAELS, G. D.; FRISKEY, R. W.; BROWN, F. R., JR., and KEASLING, J. E.: Pituitary adrenocortical response to insulin, epinephrine, and a nonspecific stressor in normal and abnormal patients, 912†
——, *see* FRISKEY, R. W., 986†
KLEEBERG, J.; DIENGOTT, D., and GOTTFRIED, J.: A case of insulin resistance treated with corticotropin, 680*
KNIGHT, M., *see* CHRISTY, N. P., 913†
KNOBIL, E.; WOLF, R. C., and GREEP, R. O.: Some physiologic effects of primate pituitary growth-hormone preparations in the hypophysectomized rhesus monkey, 916†
KNOWLES, H. C., JR., *see* KESSLER, M. F., 489*
KOCH, H. J., JR., and SMITH, E. R.: The determination of copper and zinc in normal and pathologic human thyroid tissue, 123*
KOCHAKIAN, C. D., *see* COSTA, G., 933†
KOIW, E., *see* NOWACZYNSKI, W., 956†
KRETCHMAR, A. L., *see* GABRIELSEN, Z., 1347*
KROC, R. L.; STEINETZ, B. G.; BEACH, V. L., and STASILLI, N. R.: Bioassay of relaxin extracts in guinea pigs and mice, using a reference standard, 966†
——, *see* STASILLI, N. R., 1595*
KRONSBEIN, J., *see* BECK, R. E., 1102*
KULCSAR, S., *see* POLISHUK, W. Z., 292*
KUMAGAI, L. F.; FREINKEL, N., and INGBAR, S. H.: The effect of varying thyroidal states on the sensitivity to cortisone of adrenalectomized mice, 954†
KUMAR, D.; ANDERSON, W., and GORNALL, A. G.: Postmortem study of rats made hypertensive by aldosterone, 918†
KUPPERMAN, H. S., *see* ARKUN, S. N., 984†; BRIGGS, D., 963†, 1163*; EPSTEIN, J., 985†; GOLDMAN, J., 926†
KUTOZOV, H.: *see* BLIVAISS, B. B., 962†
KYLE, L. H., and CANARY, J. J.: Renal response to ammonium chloride in glycosuric osteomalacia, 599*
——; MEYER, R. J., and CANARY, J. J.: Observations regarding the mechanism and treatment of compensatory adrenal atrophy, 941†

LAIDLAW, J. C., *see* REDDY, W. J., 380*
LAMSON, E. T.; ELMADJIAN, F.; HOPE, J. M.; PINCUS, G., and JORJORIAN, D.: Aldosterone excretion of normal schizophrenic and psychoneurotic subjects, 954†
——, *see* ELMADJIAN, F., 216* 222*, 876*
LANCET, M., *see* JOËL, C. A., 908*
LANDAU, R. L.; BERGENSTAL, D. M.; LUGIBIHL, K., and DIMICK, D.: The metabolic effects of progesterone in relation to the action of estrogen and pituitary hormones, 931†
LANDING, B. H., *see* WHITAKER, J., 1374*
LANTHIER, A.; SAINT-MARC, J., and REDDY, W. J.: The effect of amphenone on urinary 17-ketosteroid excretion, 954†
LASZLO, D., *see* GALLAGHER, T. F., 919†; SPENCER, H., 981†
LAUFER, A., and SULMAN, F. G.: Estrogenic Leydig-cell tumor with multiple metastases in a dog. The problem of bisexual hormone production by gonadal cells, 1151*
LAYRISSE, M., *see* ROCHE, M., 831*
LEACH, R. B., *see* MADDOCK, W. O., 433*
LEAHY, M. F., *see* HECKEL, G. P., 965†; IZZO, A. J., 953†
LEITER, L., *see* WESTON, R. E., 322*
LEMIEUX, G., *see* NOWACZYNSKI, W., 956†
LERMAN, J.: The activity of *dl*-tribromthyronine, 1395*
——, and PITT-RIVERS, R.: Physiologic activity of triiodo- and tetraiodothyroacetic acid in human myxedema, 1470*
LEROY, P., *see* DOMM, L. V., 946†
LEVY, R. P., *see* JEFFERIES, W. MCK., 1438*
LEVY, R. S., *see* LURIE, M. B., 979†
LEWIS, L. A., *see* SKILLERN, P. G., 35*
LI, C. H., *see* LOSTROH, A. J., 941†; LYONS, W. R., 967†
LI, M. C.; BERGENSTAL, D. M.: SCHRICKER, J. A., and GRAFF, M. M.: Hypophyseal and metabolic effects of delta 1-9 fluorohydrocortisone in man, 955†
——, *see* LIPSETT, M. B., 183*
LIDDLE, G. W.: Δ^1,9α-Fluorohydrocortisone: a

new investigative tool in adrenal physiology, 557*
——; RICHARD, J. E., and TOMKINS, G. M.: The 2-methyl-hydrocortisones: long-acting compounds of great sodium-retaining potency, 917†
LIEBERMAN, A. H., *see* JOHNSON, B. B., 953†
LINDER, G. C., *see* JACKSON, W. P. U., 1043*
LIPSETT, M. B.; MACLEAN, J. P.; WEST, C. D.; LI, M. C., and PEARSON, O. H.: An analysis of the polyuria induced by hypophysectomy in man, 183*
——; WEST, C. D., and PEARSON, O. H.: Physiologic studies of adrenal function after hypophysectomy in man, 912†
——, *see* RALL, J. E., 1299*
LISS, L.: The morphology of the neurosecretory neurons in man, 941†
LISSER, H., *see* BENTINCK, R. C., 412*
LISTER, L. M., *see* SAVARD, K., 970†
LLOYD, C. W.: The arylsulfonylureas and diabetes mellitus, 1626*
LOEFFLER, R. K., *see* MALUF, N. S. R., 1217*
LOMBARDO, M. E.: ROITMAN, E., and HUDSON, P. B.: Conversion of progesterone, 17-α-hydroxyprogesterone and 11-desoxycortisol to cortisol by the human adrenal gland *in vitro*, 1283*
LONGSON, D. *see* CHRISTY, N. P., 913†; JAILER, J. W., 1276*
LORAINE, J. A., and BROWN, J. B.: Further observations on the estimation of urinary gonadotropins in non-pregnant human subjects, 1180*
LOSTROH, A. J., and LI, C. H.: Role of the pituitary and adrenals in the maintenance of the sex accessories of the hypophysectomized castrated male rat, 941†
LOTT, H., *see* DIRAIMONDO, V., 946†
LUCHSINGER, E. B., *see* GOLDMAN, R., 28*
LUFT, R., and von EULER, U. S.: effect of insulin hypoglycemia on urinary excretion of adrenaline and noradrenaline in man after hypophysectomy, 1017*
LUGIBIHL, K., *see* LANDAU, R. L., 931†
LUKENS, F. D. W.: The use of laboratory tests in diabetes, 272*
LUNNON, J. B., *see* GRAY, C. H., 473*
LURIE, M. B.; ZAPPASODI, P.; LEVY, R. S.; TWISDOM, J. M., and NINOS, G. S.: On the effect of levo-triiodothyronine and propylthiouracil on native resistance to tuberculosis, 979†
LYON, R. A.: Prolongation of human corpus luteum life span, 922†
LYONS, W. R.; LI, C. H., and JOHNSTON, R. E.: Direct action of mammary-stimulating hormones, 967†

MACCHI, I. A.: *In vitro* ACTH action on reducing substances and QO_2 in frog adrenal tissue, 942†
MACFARLANE, D. A., *see* GOLD, N. I., 282*
MACLEAN, J. P., *see* LIPSETT, M. B., 183*
MADDOCK, W. O.; LEACH, R. B.; TOKUYAMA, I.; PAULSEN, C. A., and ROY, W. R.: Effects of hog pituitary follicle-stimulating hormone in women: antihormone formation and inhibition of ovarian function, 433*
MAHONEY, J. P., *see* MIGEON, C. J., 622*; SALHANICK, H. A., 1120*
MAJARAKIS, J. D.; SLAUGHTER, D. P., and COLE, W. H.: Thyroid cancer in childhood and adolescence, 1487*
MALOOF, F.; VICKERY, A. L., and RAPP, B.: An evaluation of various factors influencing the treatment of metastatic thyroid carcinoma with I^{131}, 1*
MALUF, N. S. R.; LOEFFLER, R. K., and ERICKSON, E. E.: Effect of bilateral adrenalectomy on metastatic choriocarcinoma from teratoma of the testis, 1217*
MANDELSTAM, P.; GOLDZIEHER, J. W., and SOROFF, H. S.: Acute adrenocortical insufficiency and persistent occult dysfunction following thermal injury, 955†
MARASSO, F. J., *see* PLAGGE, J. C., 988†
MASON, J. W.: Some aspects of the central nervous system regulation of ACTH secretion, 914†
——, *see* HARWOOD, C. T., 790*
MATEER, F. M., *see* GREENMAN, L., 634*
MCCLINTOCK, J. C.; FRAWLEY, T. F., and HOLDEN, J. H. P.: Hyperthyroidism in children: observations in 50 treated cases, including an evaluation of endocrine factors, 62*
MCCONAHEY, W. M., and OWEN, C. A., JR.: Studies of the inhibitory effect of *l*-triiodothyronine on thyroidal I^{131} uptake in euthyroid persons and patients with exophthalmic goiter, 1480*
——; OWEN, C. A., JR., and KEATING, F. R., JR.: A clinical appraisal of radioiodine tests of thyroid function, 724*
——, *see* OWEN, C. A., JR., 1570*
MCCULLAGH, E. P.; ALIVISATOS, J. G., and SCHAFFENBURG, C. A.: Pituitary tumor with gynecomastia and lactation. Case report, 397*
——, *see* SKILLERN, P. G., 35*
MCEWEN, C., *see* WILSON, H., 86*
MCGAVACK, T. H.; CHEVALLEY, J.; RECKENDORF, H. K., and HAAR, H. O.: Clinical experiences with carbimazole (1-methyl-2-carbethoxy-thio-imidazole) in the treatment of hyperthyroidism, 887*
——, *see* RECKENDORF, H. K., 668*; SCISM, G. R., 693*
MCGIRR, E. M., and MURRAY, I. P. C.: Thyrotoxicosis in a mongol, 160*
MEIJER, J. W. A., *see* QUERIDO, A., 1096*; STANBURY, J. B., 735*, 848*
MELLINGER, R. C., and SMITH, R. W., JR.: Studies of the adrenal hyperfunction in 2 patients with atypical Cushing's syndrome, 350*
——; SMITH, R. W., and PATTI, A. A.: Adrenocortical function in the polycystic ovary syndrome, 967†
——, *see* SMITH, R. W., 960†
MESTLER, G. E., *see* HAMILTON, J. B., 301*
MEYER, R. J., *see* KYLE, L. H., 941†
MICHAELS, G. D., *see* FRISKEY, R. W., 986†; KINSELL, L. W., 821*, 912†
MIGEON, C. J.; SANDBERG, A. A.; BLISS, E. L., and KELLER, A. R.: Nonconjugated adreno-

cortical steroids in human plasma: comparison of the Nelson and Samuels method with paper chromatographic techniques, 253*
——; SANDBERG, A. A.; DECKER, H. A.; SMITH, D. F.; PAUL, A. C., and SAMUELS, L. T.: Metabolism of 4-C^{14}-cortisol in man: body distribution and rates of conjugation, 1137*
——; SANDBERG, A. A.; PAUL, A. C., and SAMUELS, L. T.: Metabolism of 4-C^{14}-corticosterone in man, 1291*
——; TYLER, F. H.; MAHONEY, J. P.; FLORENTIN, A. A.; CASTLE, H.; BLISS, E. L., and SAMUELS, L. T.: The diurnal variation of plasma levels and urinary excretion of 17-hydroxycorticosteroids in normal subjects, night workers and blind subjects, 622*
——, *see* BROWN, H., 1227*; SANDBERG, A. A., 1001*
MILLER, DE PAIVA, L.; HENRIQUES, O. B., and HENRIQUES, S. B.: Serum antidiuretic activity in patients with neurosis and premenstrual tension, 894*
MIRSKY, I. A.; DIENGOTT, D., and DOLGER, H.: Differentiation of diabetes mellitus due to impaired insulinogenesis from that due to increased insulin destruction, 932†
MITCHELL, M. L.; BURROWS, B. A.; DELL, E. S., and GRAHAM, D. E.: The effect of thyroid-stimulating hormone on thyroidal iodine turnover, 979†
MOFFAT, W. M.: The treatment of premature ejaculation with estrogens, 967†
MOLNAR, G. D.; ALBERT, A.; KEATING, F. R., JR., and ORVIS, A. L.: A new method for study of iodine metabolism in thyroid slices, 927†
MONEY, J., *see* HAMPSON, J. G., 547*
MONROE, R. G., *see* CLARKE, B. G., 1235*
MOORE, F. D., *see* GOLD, N. I., 282*
MORGAN, D. C., *see* GREENE, R., 391*
MORRIS, J. M., *see* HON, E. H., 1354*
MORTIMORE, G. E.; IRVINE, E.; HOPPER, J., JR., and FORSHAM, P. H.: The functional state of the adrenal cortex in diabetes mellitus, 932†
MORTON, M. E., *see* FLORSHEIM, W. H., 927†
MOSKOWITZ, N., *see* FLORSHEIM, W. H., 927†
MOWDY, T., *see* JOHNSON, P. C., 978†
MUKAI, T., *see* ISHIHARA, I., 207*
MULROW, P. J., *see* JOHNSON, B. B., 953†
MUNRO, D. S.: Effect of cortisone on sodium metabolism in Simmonds' disease, 1089*
MUNSON, P. L., *see* KENNY, A. D., 978†
MURRAY, I. P. C., *see* MCGIRR, E. M., 160*
MUSSIO FOURNIER, J. C., *see* RAVERA, J. J., 817*

NADEL, E. M., *see* CRAMER, L. M., 945†
NARAHARA, H. T.; COX, R. W.; HENLEY, E. D., and WILLIAMS, R. H.: Tissue and intracellular distribution of a glucagon-inactivating system, 935†
——, *see* COX, R. W., 985†
NEAL, L. M., *see* SALHANICK, H. A., 1120*
NELSON, D. H., *see* AVANDANO, L. H., 920†; BETHUNE, J. E., 913†
NELSON, H. E., *see* SKILLERN, P. G., 1422*
NELSON, W. O., *see* WITSCHI, E., 922†
NERI, R., *see* ELMADJIAN, F., 216*, 222*, 876*
NICHOLS, J., and HENNIGER, G.: Metabolic studies on DDD (2,2-bis(parachlorophenyl)-1,1-dichloroethane), 956†
NIELSEN, R. L.; SNIFFEN, R. C.; SIMMONS, F. A.; ALBRIGHT, F., and HENNEMAN, P. H.: Prolonged human chorionic gonadotropin therapy in male "eunuchoidism-with-low-FSH," 968†
NINOS, G. S., *see* LURIE, M. B., 979†
NODINE, J. H.; CHANNICK, B. J.; SOKHOS, D.; DRESNER, S., and PERLOFF, W. H.: Measurement of active iodine stores and daily hormonal output in the intact human thyroid, 930†
NÓRA ANTUNES, L.: Interfering chromogens in the 17-ketosteroid determination, 1125*
NOTTER, G., *see* GEMZELL, C. A., 483*
NOWACZYNSKI, W.; GENEST, J.; STEYERMARK, P.; KOIW, E., and LEMIEUX, G.: Isolation of aldosterone and a related steroid from the urine in a case of Cushing's syndrome, 956†
NUSIMOVICH, B., *see* ARONS, W. L., 974†

OHLER, E. A.; SEVY, R. W., and WEINER, A.: The effect of chlorpromazine on pituitary-adrenal function, 915†
ORREGO, H., *see* VARGAS, L., 662*
ORTIZ, E., *see* WILLIAMS-ASHMAN, H. G., 972†
ORVIS, A. L., *see* MOLNAR, G. D., 927†
OWEN, C. A., JR., and MCCONAHEY, W. M.: An unusual iodinated protein of the serum in Hashimoto's thyroiditis, 1570*
——, *see*, MCCONAHEY, W. M., 724*, 1480*
OWEN, J. A., JR., and ENGEL, F. L.: Temporary diabetes from growth hormone alone in the tube-fed rat, 933†

PARKER, V. H., *see* TYLER, F. H., 960†
PARSON, W., and HOLLIFIELD, G.: Food drive and satiety responses in mice following ovariectomy, 968†
——, *see* CRISPELL, K. R., 976†; HOLLIFIELD, G., 939†
PARSONS, D. W., *see* HILLS, A. G., 921†
PARSONS, O. A., *see* FREEMAN, H., 779*
PASQUALINI, R. Q., and GUREVICH, N.: Spontaneous remission in a case of Cushing's syndrome, 406*
PATTEE, C. J., *see* ARENDT, E. C., 367*, 375*, 653*
PATTI, A. A., *see* MELLINGER, R. C., 967†
PAUL, A. C., *see* MIGEON, C. J., 1137*, 1291*
PAULINO, F., *see* BERARDINELLI, W., 674*
PAULSEN, C. A., *see* MADDOCK, W. O., 433*
PEARSON, O. H., *see* KAPPAS, A., 517*; LIPSETT, M. B., 183*; 912†; RALL, J. E., 1299*
PECHET, M. M.; DAVIS, J. O.; GOODKIND, M. J., and BALL, W. C., JR.: Studies of aldosterone: in dogs with cardiac failure and in dogs with thoracic inferior caval contriction, 957†
PERLOFF, W. H.: Thyrotoxicosis following acute thyroiditis: a report of 5 cases, 542*
——, *see* CHANNICK, B. J., 976†; HADD, H. E., 138*; NODINE, J. H., 930†
PESCHIN, A., *see* BLIVAISS, B. B., 962†
PHILLIPS, L., *see* FREEMAN, H., 779*
PILLAR, S., *see* PLANANSKY, K., 1607*

PINCUS, G., *see* ELMADJIAN, F., 338*; FREEMAN, H., 779*; LAMSON, E. T., 954†
PITTMAN, J. A., *see* HERTZ, R., 705*
PITT-RIVERS, R., *see* LERMAN, J., 1470*
PLAGGE, J. C.; MARASSO, F. J., and ZIMMERMAN, H. J.: Lipotropic effects of estrogen implants in the weanling rat, 988†
PLANANSKY, K.; PILLAR, S., and SELBACH, G.: Spinal cord lesion with hypogonadism and gynecomastia: chromosomal sex, 1607*
PLANTIN, L.-O., *see* BIRKE, G., 286*
PLUNKETT, E. R., and BARR, M. L.: Cytologic tests of sex in congenital testicular hypoplasia, 829*
——, and BARR, M. L.: The occurrence of sex chromatin in congenital testicular hypoplasia, 969†
POISNICK, J., and DIRAIMONDO, V.: Adrenocortical function in obese women, 957†
POLISHUK, W. Z., and KULCSAR, S.: Effects of chlorpromazine on pituitary function, 292*
POND, M. H., *see* GRAY, C. H., 473*
POSTEL, S.: Placental transfer of perchlorate and triiodothyronine in the guinea pig, 927†
PRICE, D., *see* WILLIAMS-ASHMAN, H. G., 972†
PROUTY, R. L., *see* JEFFERIES, W. McK., 1438*
PULLMAN, T. N., *see* GLICKMAN, P. B., 529*

QUAY, W. B., *see* KAHN, R. H., 940†

QUERIDO, A.; STANBURY, J. B.; KASSENAAR, A. A. H., and MEIJER, J. W. A.: The metabolism of iodotyrosines. III. Di-iodotyrosine deshalogenating activity of human thyroid tissue, 1096*
——, *see* STANBURY, J. B., 1522*
QUINN, K. V., *see* SOBEL, E. H., 241*

RAAB, W.; SCHROEDER, G.; WAGNER, R., and GIGEE, W.: Functional evidence of exaggerated mineralocorticoid activity in toxemia of pregnancy; an early diagnostic test, 958†
——; and SAME AUTHORS (with the technical assistance of ADAMS, M. C.; DIORIO, N. G.; FEELY, D. A.; STARZEWSKA, Y. K., and WHITE, P.: Vascular reactivity and electrolytes in normal and toxemic pregnancy. Pathogenic considerations and a diagnostic pre-toxemia test, 1196*
RABEN, M. S.: Metabolic principles of the anterior pituitary, 932†
RAKOFF, A. E.: The endocrine effects of low-dosage irradiation to the ovaries and pituitary of anovulatory women, 969†
——, *see* SUN, L. C. Y., 55*, 971†
RALL, J. E.; PEARSON, O. H.; LIPSETT, M. B., and RAWSON, R. W.: Metabolic effects in man of the acetic-acid analogues of thyroxine and triiodothyronine, 1299*
——; TATA, J., and ROBBINS, J.: Iodine metabolism in subjects with functional carcinoma of the thyroid, 928†
——, *see* ROBBINS, J., 573*; TATA, J. R., 1554*
RANDALL, R. V.; CLARK, E. C., and DODGE, H. W., JR.: Diabetes insipidus after intracranial operations or injury, 942†
RAPP, B., *see* MALOOF, F., 1*
RAUSCHKOLB, E. W., and FARRELL, G. L.: Decreased aldosterone secretion in decapitated dogs, 915†
RAVERA, J. J.; CERVIÑO, J. M., and MUSSIO FOURNIER, J. C.: Hirsutism in infantile thyroid insufficiency, 817*
RAWSON, R. W.: Today's thyroidologists and their beckoning frontiers, 1405*
——, *see* RALL, J. E., 1299*; ROBBINS, J., 573*; TATA, J. R., 1554*
RAYMOND, C. S., *see* SOBEL, E. H., 241*
RECKENDORF, H. K., and MCGAVACK, T. H.: Surgical hypoparathyroidism precipitated by onset of the menopause: a case report, 668*
——, *see* MCGAVACK, T. H., 887*
REDDY, W. J.; ABU HAYDAR, N.; LAIDLAW, J. C.; RENOLD, A. E., and THORN, G. W.: Determination of total 17-hydroxycorticoids in plasma, 380*
——, *see* LANTHIER, A., 954†; SELENKOW, H. A., 981†
REEDER, J. W., *see* DOCTOR, V. M., 964†
REIFENSTEIN, E. C., JR.: 17-Alpha-hydroxyprogesterone and the virilism of the adrenogenital syndrome associated with congenital adrenocortical hyperplasia—A review, 1262*
——, *see* CHAMBERS, E. L., JR., 930†, 1507*; HOWARD, R. P., 966†
REILLY, W. A., *see* BENTINCK, R. C., 412*; WHITELAW, M. J., 983†
RENOLD, A. E.; FROESCH, E. R.; WINEGRAD, A. I., and THORN, G. W.: Urinary true glucose as an index of glucocorticoid activity in man, 958†
——, *see* AVANDANO, L. H., 920†; FROESCH, E. R., 937†; REDDY, W. J., 380*
RICHARD, J. E., *see* LIDDLE, G. W., 917†
RICHER, C.-L., *see* SELYE, H., 918†
RINFRET, A. P., *see* GULYASSY, P. F., 950†
RIOCH, D. M., *see* WILSON, H., 943†
RIVERA, A., *see* SELENKOW, H. A., 929†
ROBBINS, J.; RALL, J. E., and RAWSON, R. W.: An unusual instance of thyroxine-binding by human serum gamma globulin, 573*
——, *see* RALL, J. E., 928†
ROBISON, B., *see* SAWYER, C. H., 914†
ROCHE, M., and LAYRISSE, M.: Effect of cobalt on thyroidal uptake of I^{131}, 831*
ROGERS, J.: Progesterone metabolism in liver disease, 114*
ROITMAN, E., *see* LOMBARDO, M. E., 1283*
RONCONE, A., *see* IZZO, J. L., 987†
ROSE, E., *see* HYDOVITZ, J. D., 1109*; SAMPSON, M. C., 980†
ROSENBERG, A. A.: Fulminating adrenocortical hyperfunction associated with islet-cell carcinoma of the pancreas; case report, 1364*
ROSENBERG, A. P., *see* JUNGCK, E. C., 940†
ROSENBERG, E. H., *see* KENNY, A. D., 978†
ROSENKRANTZ, H.: The influence of ACTH on adrenal homogenate in normal and vitamin deficient rabbits, 959†
ROSS, E. J., *see* AVANDANO, L. H., 920†
ROY, W. R., *see* MADDOCK, W. O., 433*
RUBIN, B. L., and DORFMAN, R. I.: Sex differences in orientation of reduction products of 3-keto-C_{19} steroids by rat liver homogenates, 924†
RYAN, R. F., *see* BEAHRS, O. H., 1456*
RYNEARSON, E. H., *see* TROEN, P., 747*

SACHS, B. A.; DANIELSON, E., and WESTON, R. E.: Effects of the synthetic anabolic steroid, 17-ethyl-19-nortestosterone, on serum proteins, lipoproteins and lipids in human subjects, 1388*
SAIER, E. L.; GRAUER, R. C., and STRICKLER, H. S., with the technical assistance of SOBEK, T., and RITCHEY, M.: Refinements in the determination of "free pregnanediol," 535*
SAINT-MARC, J., *see* LANTHIER, A., 954†
SALHANICK, H. A., *see* BERLINER, D. L., 903*
——; NEAL, L. M., and MAHONEY, J. P.: Blood content of human placenta, 1120*
SALMON, W. D., JR., and DAUGHADAY, W. H.: *In vitro* studies of the action of growth hormone on uptake of sulfate by cartilage, 988†
SAMPSON, M. C.; BALLS, K. F.; HYDOVITZ, J. D., and ROSE, E.: The effect of levo-triiodothyronine upon nontoxic goiter, 980†
SAMUELS, L. T.: EIK-NES, K., and TYLER, F. H.: The influence of cortisol level on the distribution and turnover of the hormone, 917†
——, *see* BROWN, H., 775*; MIGEON, C. J., 622*, 1137*, 1291*; SANDBERG, A. A., 1001*; TYLER, F. H., 960†
SANDBERG, A. A.; EIK-NES, K.; MIGEON, C. J., and SAMUELS, L. T.: Metabolism of adrenal steroids in dying patients, 1001*
——, and SLAUNWHITE, W. R., JR.: Biliary excretion and protein binding of radioactive steroids in human subjects: their possible relationship, 923†
——, *see* MIGEON, C. J., 253*, 1137*, 1291*; SLAUNWHITE, W. R., JR., 971†
SAUNDERS, F. J., and FULLER, N. E.: The effect of estrone on the response to testosterone propionate in the castrated male rat, 970†
SAVARD, K.; DORFMAN, R. I.; BAGGETT, B., and ENGEL, L. L.: Biosynthesis of androgens from progesterone by human testicular tissue *in vitro*, 1629*
——; DORFMAN, R. I.; BAGGETT, B.; ENGEL, L. L.; LISTER, L. M., and ENGEL, F. L.: Steroid studies in a patient with an interstitial-cell tumor of the testis, 970†
SAWYER, C. H., and ROBISON, B.: Separate hypothalamic areas controlling pituitary gonadotropic function and mating behavior in female cats and rabbits, 914†
SCAFF, W. L., *see* JOHNSON, P. C., 978†
SCHAFFENBURG, C. A., *see* MCCULLAGH, E. P., 397*
SCHERBEL, A. L., *see* SKILLERN, P. G., 171*
SCHNEEBERG, N. G., *see* CHANNICK, B. J., 976†
SCHRICKER, J. A., see, LI, M. C., 955†
SCHROEDER, C. M., *see* ENGSTROM, 1126*
SCHROEDER, G., *see* RAAB, W., 958†, 1196*
SCHULTZ, A. L., and ZIEVE, L.: Diagnostic value and interrelationships of thyroidal clearance, uptake, and rate of uptake in hyperthyroidism, 980†
SCHWARTZ, R., *see* ZINSSER, H. H., 973†
SCIALABBA, D., *see* WILSON, H., 86*
SCISM, G. R.; STERN, S., and MCGAVACK, T. H.: Improved automatic feed in the Lakshmanan-Lieberman apparatus for gradient elution chromatography, 693*
SEGAL, S. J., *see* WITSCHI, E., 922†
SEGALOFF, A.; GORDON, D. L., and BOWERS, C. Y.: Infrequent intramuscular injection of hydrocortisone acetate as replacement therapy in adrenal insufficiency, 959†
SELBACH, G., *see* PLANANSKY, K., 1607*
SELENKOW, H. A.; RIVERA, A., and THORN, G. W.: The effects of amphenone on thyroid function in man, 929†
——; SHEPPARD, R. W., and REDDY, W. J.: Adrenocortical function in hypothyroidism and hyperthyroidism, 981†
SELYE, H., and BOIS, P.: A not adrenal-mediated anti-inflammatory effect of carboxymethylcellulose, 960†
——, and BOIS, P.: Anticortisol action of 2-methyl-(9α)-chlorocortisol, 1631*
——; JASMIN, G.; BOIS, P., and RICHER, C.-L.: Role of corticoids in the production of an experimental polyarthritis in the rat, 918†
——, *see* HEUSER, G., 952†
SEVY, R. W., *see* OHLER, E. A., 915†
SHAPIRO, S., *see* CLARKE, B. G., 1235*
SHARRER, N. E., and ASPER, S. P., JR.: Inhibition of thyroidal radioiodine uptake following intravenous administration of thyroxine to normal and to hypophysectomized adult subjects, 1311*
SHEPPARD, R. W., *see* SELENKOW, H. A., 981†
SHERER, M. G., and SIEFRING, B. N.: Effect of prednisone and prednisolone on thyroid function, with special reference to thyroxine-binding protein in nephrosis, 643*
SHORR, E., *see* HORWITH, M., 977†
SIEFRING, B. N., *see* SHERER, M. G., 643*
SIEGEL, C. D., *see* GORDON, A. S., 949†
SILBER, R. H., and BUSCH, R. D.: An improved procedure for the determination of hydrocortisone in human plasma, 1333*
SIMMONS, F. A., *see* NIELSEN, R. L., 968†
SIMPSON, S. L., *see* GRAY, C. H., 473*
SINGH, T. B.; WEBSTER, D. R., and SKORYNA, S. C.: Effects of estrogens, androgens and cortisone on intraosseous transplants of Walker carcinoma, 970†
SKELTON, F. R.: Experimental hypertensive vascular disease in rats bearing regenerating adrenocortical tissue: morphologic and pathogenetic studies, 919†
SKILLERN, P. G.; CORCORAN, A. C., and SCHERBEL, A. L.: Renal mechanisms in coincident Addison's disease and diabetes insipidus: effects of vasopressin and hydrocortisone, 171*
——; CRILE, G., JR.; MCCULLAGH, E. P.; HAZARD, J. B.; LEWIS, L. A., and BROWN, H.: Struma lymphomatosa: primary thyroid failure with compensatory thyroid enlargement, 35*
——; NELSON, H. E., and CRILE, G., JR.: Some new observations on subacute thyroiditis, 1422*
SKORYNA, S. C., *see* SINGH, T. B., 970†
SLADE, C. I.: Application of a simple ion exchange resin technique to determination of serum or plasma protein-bound I^{127} or protein-bound I^{131}, 1122*
SLAUGHTER, D. P., *see* MAJARAKIS, J. D., 1487*
SLAUNWHITE, W. R., JR., and SANDBERG, A. A.:

Metabolism of intravenously injected 4-C^{14}-testosterone in human subjects, 971†
——, *see* SANDBERG, A. A., 923†
SMITH, D. F., *see* MIGEON, C. J., 1137*
SMITH, E. R., *see* KOCH, H. J., JR., 123*
SMITH, R. W., and MELLINGER, R. C.: Value of urinary 17-hydroxycorticoid level as a criterion of hypercorticism in patients with Cushing's syndrome, 960†
——, *see* MELLINGER, R. C., 350*, 967*
SNIFFEN, R. C., *see* NIELSEN, R. L., 968†
SOBEL, E. H.; RAYMOND, C. S.; QUINN, K. V., and TALBOR, N. B.: The use of methyltestosterone to stimulate growth: relative influence on skeletal maturation and linear growth, 241*
SOKHOS, D., *see* NODINE, J. H., 930†
SOROFF, H. S., *see* MANDELSTAM, P., 955†
SOTKES, P. E., *see* HORWITH, M., 977†
SPENCE, W. T., *see* WILSON, H., 943†
SPENCER, H.; BERGER, E., and LASZLO, D.: The calcium tolerance test in hyperparathyroidism and Cushing's syndrome, 981†
——, *see* GALLAGHER, T. F., 919†
SPIRTOS, B. N., *see* HALMI, N. S., 986†
STANBURY, J. B.; KASSENAAR, A. A. H., and MEIJER, J. W. A., with the clinical assistance or TERPSTRA, J.: The metabolism of iodotyrosines. I. The fate of mono- and di-iodotyrosine in normal subjects and in patients with various diseases, 735*
——; MEIJER, J. W. A., and KASSENAAR, A. A. H.: II. The metabolism of mono- and diiodotyrosine in certain patients with familial goiter, 848*
——, and QUERIDO, A.: Genetic and environmental factors in cretinism: a classification, 1522*
——, *see* QUERIDO, A., 1096*
STARR, P.: Studies of synthetic dextro-thyroxine (nonracemic) in myxedematous patients, 982†
STASSILI, N. R., and KROC, R. L.: Biologic activity of pork and beef thyroid preparations, 1595*
——, *see* KROC, R. L., 966†
STEELE, R., *see* ALTZULER, N., 934†; WALL, J. S., 991†
STEINETZ, B. G., *see* KROC, R. L., 966†
STERN, S., *see* SCISM, G. T., 693*
STERNBERG, J., and FRAPPIER, A.: Metabolic deviations in immunized animals. III. Tissular distribution of Ca^{45} in BCG-immunized guinea pigs, 989†
STEYERMARK, P., *see* NOWACZYNSKI, W., 956†
STOLTE, L. A. M., *see* CARPENTIER, P. J., 155*
STRICKLER, H. S., *see* SAIER, E. L., 535*
STURGIS, S. H., *see* VELARDO, J. T., 496*
SULMAN, F. G.: Chromatophorotropic activity of human blood: review of 1,200 cases, 755*
——, *see* LAUFER, A., 1151*
SUN, L. C. Y., and RAKOFF, A. E.: Evaluation of the peripheral blood smear test in the detection of chromosomal sex in the human, 55*
——, and RAKOFF, A. E.: Histopathologic and histochemical studies on the microcystic ovaries associated with the Stein-Leventhal syndrome, 971†
SYMINGTON, T.; DUGUID, W. P., and DAVIDSON, J. N.: Effect of exogenous corticotropin on the histochemical pattern of the human adrenal cortex and a comparison with the changes during stress, 580*

TALALAY, P.: Steroid dehydrogenases as models for the binding of hormonally active steroids, 924†
TALBOT, N. B., *see* SOBEL, E. H., 241*
TANAKA, T., *see* ISHIHARA, I., 207*
TATA, J. R.; RALL, J. E., and RAWSON, R. W.: Studies on an iodinated protein in the serum of subjects with cancer of the thyroid, 1554*
——, *see* RALL, J. W., 928†
TAUROG, A.; TONG, W., and CHAIKOFF, I. L.: Iodine metabolism of rat thyroids after hypophysectomy, 982†
THOMAS, P. Z., *see* BONGIOVANNI, A. M., 146*
THOMAS, S., *see* WHITELAW, M. J., 983†
THOMAS, W. C., JR., *see* CONNOR, T. B., 945†
THOMPSON, P. K.: A matter of great importance to medicine—The plight of the Armed Forces Medical Library (Editorial), 687*
THORN, G. W., *see* AVANDANO, L. H., 920†; REDDY, W. J., 380*; RENOLD, A. E., 958†; SELENKOW, H. A., 929†
TICE, A. A., *see* GARDNER, L. I., 949†
TOKUYAMA, I., *see* MADDOCK, W. O., 433*
TOMKINS, G. M., *see* LIDDLE, G. W., 917†
TONG, W., *see* TAUROG, A., 982†
TOWERLY, B. T.: A study of idiopathic subacute thyroiditis, 982†
TROEN, P., and RYNEARSON, E. H.: An evaluation of the prophylactic use of cortisone for pituitary operations, 747*
TRUNNELL, J. B., *see* DOCTOR, V. M., 964†
TURNER, H. H., and HOWARD, R. B.: Goiter from prolonged ingestion of iodide, 141*
TYLER, F. H.; EIK-NES, K.; PARKER, V. H., and SAMUELS, L. T.: Tissue distribution of cortisol in relation to the plasma levels, 960†
——, *see* MIGEON, C. J., 622*; SAMUELS, L. T., 917†
TWISDOM, J. M., *see* LURIE, M. B., 979†

UNGAR, F., and DORFMAN, R. I.: C^{14}-incorporation in urinary steroids, 920†

VALLANCE-OWENS, J.: Studies on plasma-insulin activity, 934*
VAN MIDDLESWORTH, L.: Iodide metabolism of the mammary gland, 989†
VANDERLINDE, R. J., *see* ARONS, W. L., 974†
VARGAS, L.; ORREGO, H., and DE FEUEREISEN, L.: Increased intermedin-like activity in the blood of patients with duodenal ulcer, 662*
VARJABEDIAN, L., *see* ELMADJIAN, F., 876*
VELARDO, J. T., and STURGIS, S. H.: Suppression of uterine growth by purified hydrocortisone acetate, 9α-fluorohydrocortisone acetate and corticotropin, 496*
VENNING, E. H., and DYRENFURTH, I.: Aldosterone excretion in pregnancy, 426*
——, and DYRENFURTH, I.: Effect of stress upon excretion of aldosterone, 961†

——; DYRENFURTH, I., and BECK, J. C.: Effect of corticotropin and prednisone on the excretion of aldosterone in man, 1541*
——; DYRENFURTH, I., and GIROUD, C. J. P.: Aldosterone excretion in healthy persons, 1326*
VENTURA, J.: Role of the pituitary in the production of hyalinosis by DCA, 943†
VERMEULEN, A.: Isolation of $\Delta^{1,4}$-pregnadiene-3-20-dione-11β-17α-21-triol from the urine of patients treated with Metacortandracin, 163*
VETTER, H., *see* FELLINGER, K., 449*
VICKERY, A. L., *see* MALOOF, F., 1*
VILLAVERDE, M. M.: Lipodystrophia progressiva treated with androgens and cortisone, 990†
——: Normocalcemia in a tropical country, 991†
——: The diabetes-vitiligo syndrome, 990†
——: The frequency of obesity and leanness in a tropical country, 989†
VILLEE, C. A.: Anti-estrogen activity of stilbestrol homologues at the enzyme level, 924†
VISSCHERS, G. P., *see* CARPENTIER, P. J., 155*
VON EULER, U. S., *see* LUFT, R., 1017*
VOSKIAN, J., *see* DIGNAM, W. S., 1032*

WAGNER, R., *see* RAAB, W., 958†, 1196*
WALL, J. S.; STEELE, R.; ALTZULER, N., and DEBODO, R. C.: The influence of adrenalectomy on the carbohydrate metabolism of dogs, as studied with C^{14} glucose, 991†
——, *see* ALTZULER, N., 934†
WALLACE, E. Z., *see* CHRISTY, N. P., 1059*
WANG, C-I., and ADLERSBERG, D.: Effect of prednisone on the pancreas: changes in carbohydrate and lipid metabolism, 992†
——, *see* BOSSAK, E. T., 613*
WEBSTER, D. R., *see* SINGH, T. B., 970†
WEIGAND, F. A., *see* GREENMAN, L., 634*
WEINER, A., *see* OHLER, E. A., 915†
WERNER, S. C., *see* GRUMBACH, M. M., 1392*
WEST, C. D.; DAMAST, B., and BERMAN, L. W.: Countercurrent distribution and paper chromatography in the isolation of urinary estrogens for analysis by photofluorometry, 972†
——, *see* KAPPAS, A., 517*; LIPSETT, M. B., 183*, 912†
WESTON, R. E.; HOROWITZ, H. B.; GROSSMAN, J.; HANENSON, I. B., and LEITER, L.: Decreased antidiuretic response to betahypophamine in hyperthyroidism, 322*
——, *see* SACHS, B. A., 1388*
WHITAKER, J.; LANDING, B. H.; ESSELBORN, V. M., and WILLIAMS, R. R.: The syndrome of familial juvenile hypoadrenocorticism, hypoparathyroidism and superficial moniliasis, 1374*
WHITE, R. A., *see* BEAHRS, O. H., 1456*
WHITELAW, M. J.: Delay in ovulation and menstruation induced by chlorpromazine, 972†
——; THOMAS, S., and REILLY, W. A.: A nongoitrous cretin with a high level of serum PBI and thyroidal I^{131} uptake, 983†
WILLIAMS, R. H., *see* COX, R. W., 985†; NARAHARA, H. T., 935†
WILLIAMS, R. R., *see* WHITAKER, J., 1374*
WILLIAMS, W. L.: Effects of vitamin B_{12} and of cortisone on body weight and glycopexis in mice, 961†
WILLIAMS-ASHMAN, H. G.; BANKS, J.; ORTIZ, E., and PRICE, D.: Biochemical indices of the growth and function of accessory reproductive organs in the guinea pig, 972†
WILSON, H.; ANDERSON, E.; SPENCE, W. T., and RIOCH, D. MCK.: The influence of the central nervous system on the secretion of adrenal steroids in dogs, 943†
——; FAIRBANKS, R.; SCIALBABBA, D.; MCEWEN, C., and ZIFF, M.: Metabolites of hydrocortisone and cortisone in synovial fluid in rheumatoid arthritis, 86*
WILSON, W. D., *see* EZRIN, C., 937†
WINEGRAD, A. I., *see* RENOLD, A. E., 958†
WISWELL, J. G., and ASPER, S. P., JR.: Metabolic activity *in vitro* and *in vivo* of the acetic-acid analogues of triiodothyronine and thyroxine, 939†
WITSCHI, E.; NELSON, W. O., and SEGAL, S. J.: Genetic developmental and hormonal aspects of gonadal dysgenesis and pseudohermaphrodism, 922†
WOLF, R. C., *see* KNOBIL, E., 916†
WOLFSON, B. M., *see* WOLFSON, W. Q., 962†
WOLFSON, W. Q., and WOLFSON, B. M.: Hormones, uropepsin, and ulcerogenesis: 1) possible hydrocortisone-parathormone synergism; 2) ulcerogenesis/therapeusis ratio of prednisolone and hydrocortisone, 962†
——, *see* DEFILIPPIS, V., 936†
WOOLNER, L. B., *see* HAYLES, A. B., 1580*

YOUNG, I. I., *see* DEFILIPPIS, V., 936†

ZAPPASODI, P., *see* LURIE, M. B., 979†
ZIEVE, L., *see* SCHULTZ, A. L., 980†
ZIFF, M., *see* WILSON, H., 86*
ZILELI, M. S., *see* GOLDFEIN, A., 949†
ZIMMERMAN, H. J., *see* PLAGGE, J. C., 988†
ZINSSER, H. H., and SCHWARTZ, R.: Cervical mucus changes in the human receiving adrenocortical replacement, 973†
ZINTEL, H. A., *see* HILLS, A. G., 921†
ZOTTU, S., *see* ASHMORE, J., 984†

SUBJECT INDEX TO VOLUME 16

* Original article.
† Abstract of paper presented at the Thirty-eighth Annual Meeting of the Endocrine Society.

ABSTRACTS of papers presented at the 38th Annual Meeting of the Endocrine Society, Chicago, Illinois (June 1956), 912†
ACETIC-ACID analogues: *see* Thyroid preps.
ACROMEGALY: *see* Pituitary disorders
ACTH: *see* Pituitary preparations, adrenocorticotropic hormone
ADDISON'S DISEASE: *see also* Adrenal disorders
—— and diabetes insipidus; effects of vasopressin & hydrocort., 171*
—— and hypoparathy'm with moniliasis; familial, juvenile; sensitivity to morphine (autopsy), 1374*
—— and pregnancy; steroid excretion before & after delivery; lack of 17-OH-CS, 690*
—— blood in: *see also* Adrenal preps.; Blood
—— electrolyte metab. in: *see also* Electrolytes
—— plasma ACTH foll'g admin. of corticosteroid in, 913†
—— pregnant addisonian; electrolyte & steroid metab. in, 1251*
—— therapy: *see also* Adrenal preps.
—— urine in: *see also* Adrenal preps.; Steroids
ADRENAL
DISORDERS
—— Addison's disease: *see* Addison's disease
—— adrenal atrophy, compensatory; mechanism & treat., 941†
—— adrenal deficiency; shortcomings of cortisone, 921†
—— adrenal insuffic'y; infreq. i.m. hydrocortisone as replacement therapy, 959†
—— adrenalect'd patients; effect of androgens on CS excretion in, 483*
—— adrenalect'd schizophrenic patients; action of MAG in, 338*
—— adrenalect'd subject; excretion of adrenaline & noradren. in, after infusion of, 222*
—— adrenalectomy, bilat.; effect on metast. choriocarcinoma from teratoma of testis, 1217*
—— adrenalectomy, bilat., for Cushing's syn.; appearance of breast cancer following, 1126*
—— adrenocortical diseases; cytology of hypophysis in, 937†
—— adrenocortical hyperplasia and female pseudohermaph. with penile urethra, 412*
—— adrenocortical insuffic'y foll'g thermal injury, 955†
—— adrenocortical states, abnormal; correl'n of morphology and function in, 946†
—— adrenogenital syndrome; alteration of CH metab. in, 985†
—— adrenogenital syndrome; urinary C_{21} steroids in, 948†
ADRENALS (*cont.*)
DISORDERS (*cont.*)
—— carcinoma in 2-yr.-old boy with sexual precoc. & Cushing's syn., 674*
—— congen. adrenal hyperplasia, hypertensive form; 11β-hydroxylase deficiency in, 920†
—— Cushing's syndrome: *see* Cushing's syndrome
—— fulminating hyperadrenocorticism with islet-cell carc. of pancreas, 1364*
—— hyperadrenocorticism, acute, induced by ACTH; persistence of insulin sensitivity in, 489*
—— "idiopathic" hirsutism; a transitional adrenal abnormality; effect of hormones on steroid excretion in, 517*
—— lack of adrenal cortex in anencephalic infant; plasma 17-KS in, 1281*
—— pheochromocytoma; plasma catechol amines in, 949†
—— various; chromatophorotropic activity of blood in, 755*
—— virilizing adenoma; estrogen & 17-KS excretion; isolation of cholestane-dione-3,6 from tumor, 1075*
—— virilism of adrenogen. syn. assoc'd with congen. adrenocort. hyperplasia; relation of 17-α-hydroxyprogesterone to, 1262*
PHYSIOLOGY & PATHOLOGY
—— (ACTH) adrenocorticotropic hormone: *see* Pituitary preps.
—— adrenal function after hypophysectomy, 912†
—— adrenal function; effect of amphenone on, 705*
—— adrenal growth & secretion in rat; effect of CG on, 947†
—— adrenal tissue of frog; *in vitro* ACTH action on reducing substance and QO_2 in, 942†
—— adrenal tumor transplants, functional, in rodents, 945†
—— adrenalect'd dogs; C^{14}-glucose metab. in, 991†
—— adrenalect'd mice; effect of thyroidal states on sensitivity to cortisone, 954†
—— adrenocortical-tissue-bearing rats; hypertensive vasc. disease in, 919†
—— atrophy of adrenals from DDD in dog, 956†
—— cortex; histochem. pattern of; effect of ACTH on during stress, 580*
—— cortical activity in anorexia nervosa, 801*
—— cortical function in diabetes, 932†, 986†
—— cortical function in hypo- and hyperthyroidism, 981†

ADRENALS (*cont.*)
PHYSIOLOGY & PATHOLOGY (*cont.*)
—— cortical function in obese women, 957†
—— cortical function in polycystic ovary syn., 967†
—— cortical response to ACTH & CG; relation to interstit.-cell response, 939†
—— cortical response to insulin hypoglycemia; inhib. by chlorpromazine, 913†
—— human adrenal *in vitro;* conversion of progesterone, 17-α-OH-progest., & 11-deoxycortisol to cortisol by, 1283*
—— not-adrenal-mediated anti-inflamm. effect of CMC, 960†
—— pituitary-adrenal response to epinephrine & insulin, 912†
—— question of adrenal disease in Cushing's syn., 1276*
PREPARATIONS & COMPOUNDS
I. *Cortex*
—— adrenal hormones; effect on neurohypophysis, 915†
—— aldosterone; det'n of, in urine, 920†
—— aldosterone; effect of stress on excretion of, 961†
—— aldosterone excretion during NA and K depletion, 953†
—— aldosterone in Cushing's syndrome, 956†
—— aldosterone in healthy persons; bioassay, 1326*
—— aldosterone in hypopituit'm; effect of ACTH & prednisone, 1541*
—— aldosterone in pregnancy, 426*
—— aldosterone in schizophrenia and neurosis, 954†
—— aldosterone in various clinical states, 950†
—— aldosterone; postmortem study of rats made hypertensive by, 918†
—— aldosterone secretion in decapitated dogs, 915†
—— aldosterone studies in cardiac failure & thoracic caval constrict. (dogs), 957†
—— 4-C^{14}-corticosterone; metab. of (blood, bile, urine), 1291*
—— 4-C^{14}-cortisol; metabolism, body distrib. & conjugation rates of, 1137*
—— 4-C^{14}-cortisol; tissue distrib. of, in relation to plasma levels, 960†
—— 4-C^{14}-hydrocortisone; metabolic fate, 951†
—— C_{21} steroids of urine in adrenogen. syn., 948†
—— cholestane-dione-3,6; isolation of, from adrenal adenoma, 1075*
—— corticoid and 17-KS metab. in pregnant addisonian; cortisone therapy, 1251*
—— corticoids and CH metab., 984†
—— corticoids, exog.; half-life of, in health & disease, 921†
—— corticoids; role in production of polyarthritis in rats, 918†
—— corticoids, urinary, in adrenocort. states; improved method for chromatography, 950†
—— corticosteroids, exog.; effect on urinary BTS and P-S steroids, 936†
—— corticosteroids; simplified distilling head for det'n of, 138*
—— corticosterone metab. in children, 952†
—— cortisol; conversion of progesterone, 17-α-OH-progest. & deoxycortisol to, by human adrenal, 1283*
—— cortisol hemisucc. sodium; conditioning for anesthesia with, in rats, 952†
—— cortisol level; effect on distrib. & turnover of hormone, 917†
—— cortisone and hydrocort. by various routes; effect on steroid, N, K & Na excretion, 953†
—— cortisone and hydrocort.; rate of transformation by liver, 916†
—— cortisone; cervical mucus changes in woman receiving, 973†
—— cortisone; effect of, studied with C^{14}-glucose in hypoph'd dogs, 934†
—— cortisone; effect of Na metab. in Simmonds' disease, 1089*
—— cortisone; precocious eruption of rat incisor following, 946†
—— cortisone; quant. effect on EEG, 839*
—— cortisone; shortcomings of, in adrenal deficiency, 921†
—— cortisone therapy of rheum. fever in children; relation to eosinos., PBI, corticoids & 17-KS, 634*
—— cortisone; use in hypercalcemic states, 945†
—— cortisone used prophylactically in pituitary ops., 747*
—— cortisones; species variations in response of serum proteins & lipids to, 613*
—— 11-deoxycortisol; *in vitro* metabolism of, 947†
—— etiocholanolone; pyrogenic effect of, 948†
—— fluorocortisol acetate and related comps.; antitoxic & eosinopenic activities, 951†
—— fluorocortisol; inhib. of mitotic activity in epidermis of mice, 944†
—— Δ′,9α-fluorohydrocortisone; a new investigative tool in adrenal physiology, 557*
—— 9α-fluorohydrocortisone ac., hydrocort. ac., & ACTH; suppression of rat uterine growth by, 496*
—— fluorohydrocortisone; hypophyseal & metab. effects of, 955†
—— glucocorticoid activity; urinary true glucose as index of, 958†
—— hydrocortisone acetate; infreq. i.m. inject. of, as replacement therapy, 959†
—— hydrocortisone and cortisone; effect

ADRENALS (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
in Addison's dis. with diabetes insip., 171*
—— hydrocortisone and cortisone; metabolites of, in synovial fluid in rheum. arthritis, 86*
—— hydrocortisone of plasma; improved Silber-Porter procedure for determination of, 1333*
—— hydrocortisone; synergism with MAG in adrenalect'd patients, 338*
—— ketonic compound, highly unsat'd, in newborn adrenal, 949†
—— 2-methyl-9(α)chlorocortisol; anticortisol action of, 1631*
—— 2-methyl-hydrocortisones; long-acting; great Na-retaining potency, 917†
—— mineralocorticoid activity in toxemic pregnancy, 958†
—— 17-OH-CS and cortisol of plasma compared by 2 techniques in conditions of stress, 253*
—— 17-OH-CS and iron of plasma & urine; diurnal variation of, in night workers & in normal & blind subjects, 622*
—— 17-OH-CS and 17-KS; effect of amphenone on, 705*
—— 17-OH-CS and 17-KS excretion in atypical Cushing's syn., 350*
—— 17-OH-CS excretion in hyperthyroidism foll'g admin. of Pitressin, 322*
—— 17-OH-CS of blood & urine; diurnal variation; relation to eosinos. & electrolytes, 196*
—— 17-OH-CS of plasma & CS of urine; effect of androgens on, 483*
—— 17-OH-CS of plasma by Nelson, Samuels method; systematic eval'n-790*
—— 17-OH-CS of plasma; effect of i.v. testosterone on, 1227*
—— 17-OH-CS (total) of plasma; det'n. of, 380*
—— 17-OH-CS, urinary, as criterion of hypercorticism, 960†
—— 17-OH-CS, urinary patterns, quant.; effect of stress & ACTH on, 282*
—— prednisolone, hydrocortisone; ulcerogenesis/therapeusis ratio, 962†
—— prednisone and prednisolone; effect on thyroid function, 643*
—— prednisone; effect on excretion of aldosterone, 1541*
—— prednisone; effect on gastric wound healing, 945†
—— prednisone; effect on pancreas in rabbits, 992†
—— prednisone in subacute thyroiditis, 1422*
—— prednisone; metabolic effects in diabetes, 987†
—— prednisone (metacortandracin) therapy; Δ^1 homologue of hydrocortisone in urine following, 163*
—— prednisone *vs.* cortisone in suppression of plasma 17-OH-CS response to ACTH, 1059*
—— $\Delta^{1,4}$-pregnadiene-3-20-dione-11β-17α-21-triol in urine foll'g prednisone therapy, 163*
—— steroid excretion foll'g admin. of 17-α-hydroxyprogesterone, 1262*
—— steroid excretion in mongolism, 830*
—— steroid excretory patterns in metast. adrenocort. ca. responsive to ACTH, cortisone & amphenone, 919†
—— steroids and eosinophils; effect of dinitrophenol on, 1026*
—— steroids; effect of ACTH on, in vit.-E deficient rabbits, 959†
—— steroids; excretion of, in adipose children, 473*
—— steroids; fluctuation in excretion of, in Cushing's syn., 286*
—— steroids; hypothalamic action of, 936†
—— steroids, in dogs; influence of CNS on, 943†
—— steroids (17-OH-CS & 17-KS); metab. of, in dying patients; effect of 4-C^{14} hydrocortisone & ACTH, 1001*
II. *Medulla*
—— adrenaline and nor-ad.; effect of hypoglycemia on, after hypophysectomy, 1017*
—— adrenaline and nor-ad. in normal urine; nature of; excretion after infusions of, 216*, 222*
—— epinephrine and nor-epi.; effect on BP & electrolytes in pregnancy, 1196*
—— epinephrine and nor-epi.; effect on thyroidal release of thyroid hormones, 926†
—— epinephrine and nor-epi. excretion after admin. of insulin & methacholine, 876*
—— epinephrine and nor-epi. in human plasma, 949†
—— nor-epinephrine; relation to the hypertension of Cushing's syn., 529*
ADRENALINE: *see* Adrenal preparations—medulla
ADSORMONE: *see* Methods
AGE: *see also* Children; Infants
—— aged men; steroid replacement in, 779*
—— effect on degree to which sex hormones affect serum inorg. P, 301*
—— effect on serum inorg. P, urinary KS & androgens, 463*
ALBUMIN: *see* Protein
ALDOSTERONE: *see* Adrenal, preps.
ALLERGY: *see also* Toxicity
—— allergenic properties of steroid hormone metabolites, 965†
AMENORRHEA: *see* Menstruation
AMERICAN CANCER SOCIETY Fellowships at Yale Univ. Graduate School, 571
AMERICAN DIABETES ASSOCIATION—joint session with The Endocrine Society, Chicago, Ill. (1956)—program, 564; abstracts of program papers, 931†

AMERICAN GERIATRICS SOCIETY, 1956 Annual Meeting, 299
AMERICAN GOITER ASSOCIATION
Annual Meetings
—— April 1956, Chicago, Ill.; announcements of, 168, 299, 432, (with program) 569
—— May 1957, New York, N.Y.; announcements of, 1289, 1402, 1536, 1637
Awards (Van Meter Prize; Award of Merit; certificates for Meritorious Service)
—— for 1956; recipients of, 1537
—— for 1957; announcements of, 1289, 1402, 1536, 1637
AMERICAN ORTHOPSYCHIATRIC ASSOC., Annual Meeting, 169
AMMONIUM CHLORIDE; renal response to, in glycosuric osteomalacia, 599*
AMPHENONE
—— adrenocortical carcinoma responsive to; steroid excretory patterns, 919†
—— effect on thyroid function, 929†
—— effect on urinary 17-KS, 954†
—— toxicity and effects on adrenal & thyroid function, 705*
ANDROGENS: *see also* Testis; Sex; Steroids
—— androgenic manifestations with gonadal dysgenesis in the tall eunuchoid female, 235*
—— biosynthesis of, from progesterone by human testis, 1629*
—— 4-C^{14}-testosterone, i.v.; metabolism of, 971†
—— 4-C^{14}-testosterone, orally; metabolic fate, 951†
—— effect on plasma 17-OH-CS in stress & on urinary CS in adrenalect'd patients, 483*
—— excretion of, in myotonia atrophica, 1235*
—— in treatment of lipodystrophia progressiva, 990†
—— i.v. testosterone; effect on N balance, 775*
—— i.v. testosterone; effect on plasma 17-OH-CS, with & without ACTH, 1227*
—— methyltestosterone; stimulation of growth with, 241*
—— nor-ethandrolone in nonandrogenic doses; inhib. of gonadotropins by, 926†
—— question of 17-α-hydroxyprogesterone as an androgen, 1262*
—— testosterone and estrogen in treat. of excessively tall girls, 249*
—— testosterone and other steroids; effect in aged men, 779*
—— testosterone; effects in depancreatized dog, 993†
—— testosterone propionate; effect in acromegaly resistant to ACTH, 207*
—— testosterone propionate; effect in case of pituitary tumor & gynecomastia, 397*
—— testosterone propionate; effect of estrone on response to, in castrated male rat, 970†
—— testosterone propionate; hepatic inactiv'n of, in capons, 962†
—— testosterone propionate; influence on I^{131} therapy of metast. thyroid carcinoma, 1*
—— urinary, relation to serum inorg. P in men, 463*
ANENCEPHALY: *see* Brain
ANESTHESIA: conditioning for, with cortisol hemisucc. sodium, in rats, 952†
ANNOUNCEMENTS: *see Endocrine Society* and Am. Cancer Soc., Am. Diabetes A., Am. Geriatrics Soc., Am. Goiter A., Am. Orthopsychiatric A., Biological Photographic A., Dickinson Research Memorial, Harvard Med. School, Harvard School of Public Health, Internat. Cancer Cytology Congress, Internat. Congress of Int. Medicine, Internat. Fertility A., Laurentian Hormone Conference, New York Acad. Med., New York Heart A., Public Health Service, World Congress on Steril. & Fertility, Yale University
ANNUAL MEETINGS: *see* Announcements; and under name of Society
ANOREXIA NERVOSA; endocrine activity in, 801*
ANTICORTISOL: *see* Anthihormones
ANTIDIURETIC: *see* Pituitary preparations
ANTIGOITROGEN: *see* Antithyroid drugs
ANTIHORMONES: *see also* various hormones
—— anticortisol action of 2-methyl-9(α)-chlorocortisol, 1631*
—— antidiuretic hormone: *see*: Pituitary, preparations
—— antihormone formation & inhib. of ovaries foll'g admin. of hog FSH to women, 433*
—— anti-ICSH serum: *see* Pituitary preparations
—— anti-insulin factor in a case of insulin resistance, 680*
ANTI-INFLAMMATORY: *see* Inflammation
ANTITHYROID DRUGS: *see also* Mercapto compounds; Thiouracil; Thyroid disorders
—— antigoitrogenic assay of pork & beef thyroid, 1595*
—— carbimazole; clin. effects & toxicity of, 391*, 887*
—— in treatment of hyperthyroidism in children, 62*
—— influence on I^{131} therapy of metast. thyroid carcinoma, 1*
ARAB boy; Laurence-Moon-Biedl syndrome in, 1622*
ARMED FORCES Medical Library; Plight of (Editorial), 687*
ARTHRITIS
—— polyarthritis in rats; role of corticoids in production, 918†
—— rheumatoid; effect of ACTH & prednisone on excretion of aldosterone in, 1541*
—— rheumatoid; metabolites of hydrocortisone & cortisone in synovial fluid, 86*
ARYLSULFONUREAS: *see* Diabetes; Sulfonamides
ASCORBIC ACID: *see* Adrenal physiology; Vitamins
ASTHMA: prolonged ingestion of iodide for; goiter from, 141*, 1109*
AUTHOR INDEX to Volume 16, 1638*
AUTOMATIC feed, improved: *see* Methods
AWARDS: *see* Endocrine Society; Am. Goiter Assoc.; Grants
AYERST, MCKENNA & HARRISON FELLOWSHIP: *see* Endocrine Society, awards

BASAL METABOLISM: *see also* Oxygen
—— clinical appraisal of, *vs.* PBI & I^{131} tests, 724*
—— effect of antithyroid drugs on: *see also* Antithyroid drugs; Thyroid
—— effect of dinitrophenol on, 1026*
—— effect of iodine preparations on: *see also* Iodine; Thyroid
—— effect of stilbestrol on, in thyroxine-binding studies, 1491*
—— effect of thyroid hormones on: *see also* Thyroid
—— effect of triac and tetrac on in myxedema, 1470*
—— effect of triac and tetrac on, related to other parameters, 1299*
—— effect of *dl*-tribromthyronine on, 1395*
—— in struma lymphomatosa; response to thyroid, 35*
—— in thyroid disorders: *see also* Thyroid
—— in thyroiditis, 542*, 1422*
—— in various endocrinopathies: *see* specific gland or disease
BENEMID: *see* Probenecid
BENODAINE (benzodioxane): *see* Piperoxane
BETA-HYPOPHAMINE: *see* Pituitary preps.
BIOLOGICAL PHOTOGRAPHIC ASSOC., Annual Meeting, 702
BILE: *see* Liver
BLIND subjects: *see* Eyes
BLOOD: *see also* constituent or disorder involved
—— ACTH: *see* Pituitary preps.
—— anemia in subacute thyroiditis, 1422*
—— antidiuretic activity: *see* Pituitary preps. (antidiuretic)
—— calcium: *see* Calcium; Electrolytes
—— chemical constituents; effect of orchiectomy on, 301*
—— chloride: *see* Electrolytes; Sodium
—— cholesterol: *see* Cholesterol; Lipids
—— chromatophorotropic activity, 755* (*see also* Pituitary preps.)
—— content of human placenta, 1120*
—— corticosteroids: *see* Adrenal preps.
—— electrolytes: *see* Electrolytes
—— enzymes: *see* Enzymes
—— eosinopenic activity of fluorocortisol acetate, 951†
—— eosinopenic response to ACTH in acromegaly, 207*
—— eosinophils: *see also* Adrenal disorders; Pituitary preps. (ACTH)
—— eosinophils and electrolytes; relation to diurnal vars. in 17-OH-CS of blood & urine, 196*
—— eosinophils and 17-OH-CS in normal & blind subjects & night workers, 622*
—— eosinophils in children with rheum. fever; effect of cortisone, 634*
—— epinephrine & nor-epi. in: *see* Adrenal preps. (medulla)
—— erythrocytes: uptake of I^{131}-labeled thyroid comps. by, 976†
—— formation; influence of hormones and antimetabolites on, 949†
—— glucose: *see* Carbohydrate metab.; Diabetes; Insulin
BLOOD (*cont.*)
—— gonadotropin, chorionic, in: *see* Gonadotropins; Pregnancy
—— hemangiomata (large) of liver & spleen in dog with estrogenic Leydig-cell tumor, 1151*
—— hemorrhage as complication of thyroidectomy, 1456*
—— hydrocortisone: *see* Adrenal preps.
—— iodine: *see* Iodine
—— intermedin: *see* Pituitary preps.
—— leukocytes: *see also* Sex; Toxicity
—— leukocytes during I^{131} therapy of metast. thyroid carc. (methimazole agranulocytosis), 1*
—— leukocytes; effect of carbimazole on, 391*, 887*
—— leukocyte morphology (blood smear); sex differentiation, by 55*, 1163*
—— lipids and lipoproteins: *see* Lipids; Protein
—— neutropenia during heavy insulin-sparing sulfonamide therapy, 821*
—— 17-OH-CS *see* Adrenal preps.
—— phosphorus: *see* Phosphorus
—— potassium: *see* Electrolytes
—— pressure: *see* Vascular system
—— progesterone: *see* Progesterone
—— protein: *see* Nitrogen; Protein
—— relaxin: *see* Relaxin
—— smear for detection of genetic sex: *see also* Sex
—— steroids: *see* Adrenal preps.; Steroids
—— sugar: *see* Carbohydrate metab.; Diabetes; Insulin
—— thyroidal substances: *see* Thyroid preps.
—— triiodothyronine & other iodinated substs.: *see* Thyroid preps.
—— TSH: *see* Pituitary preps. (TSH)
BODY
—— distribution and rates of conjug. of 4-C^{14}-cortisol, 1137*
—— fluids: *see* Bile; Blood; Lymph; Mucus; Saliva; Smears; Synovial fluid; Tissues; Urine
—— general bodily effects of large doses of I^{131}, 1*
—— growth & weight: *see* Children, Infants; Nutrition; Pituitary preps. (growth hormone); Vitamins
—— temperature: *see* Temperature
—— tissues: *see* Tissues; and specific organ involved
BONE: *see also* Arthritis; Calcium; Parathyroids
—— cartilage; uptake of S^{35} by; effect of growth hormone on, 988†
—— concerning the term "pseudo-pseudohypoparathyroidism," 293*
—— effect of steroids on, in excessively tall girls, 249*
—— in atypical Cushing's syn., 350*
—— metastases to: *see* Thyroid disorders, cancer
—— osteomalacia due to hypoparathyroidism, 419*
—— osteomalacia, glycosuric; renal response to amm. chloride in, 599*

BONE (*cont.*)
—— skeletal age; effect of m. testosterone on, 241*
BOOK REGISTER, 300, 702, 838, 1290, 1404
BRAIN: *see also* Mental: Nervous system
—— anencephalic infant; plasma 17-KS in, 1281*
—— electroencephalogram; quant. effects of cortisone & ACTH on, 839*
—— hypothalamus: *see* Hypothalamus
—— intracranial ops. or injury; diabetes insipidus following, 942†
BREAST: *see also* Ovary
—— carcinoma, appearing in woman bilat'y adrenalect'd for Cushing's syn., 1126*
—— galactorrhea foll'g chlorpromazine therapy, 292*
—— galactorrhea, hypoparathy'm and normal menses; Ca and P metab. in, 1245*
—— gynecomastia and lactation in man with pituitary tumor, 397*
—— gynecomastia, hypogonadism & cord lesion; chromosomal sex, 1607*
—— iodide metab. of, in lactating dogs, 989†
—— mammary-stim'g hormones; direct action of, 967†
—— mammatropin: *see also* Pituitary preps.
—— prolactin: *see* Pituitary preps.
BZ 55: *see* Sulfonamides; Diabetes

C^{14}: *see* Radioactive
CALCIUM: *see also* Bone; Electrolytes; Parathyroids
—— and Mg metabolism; effect of Na phytate on, 931†
—— Ca^{45}; tissular distrib. of, in BCG-immunized g. pigs, 989†
—— effect of probenecid on, in hypoparathy'm with galactorrhea, 1245*
—— hypercalcemic states; cortisone & ACTH in, 945†
—— infusion test in hyperparathy'm, 1507*
—— metabolism; effect of estrogens on, in hypoparathy'm, 668*
—— metabolism in syndrome of tetany, steatorrhea & amenorrhea, 1043*
—— normocalcemia in a tropical country, 991†
—— of serum in hypoparathy'm with osteomalacia, 419*
—— tolerance test in hyperparathy'm & Cushing's syn., 981†
—— tolerance test; reliability of, in hyperparathy'm, 977†
CANCER: *see also* specific organ involved
—— amphenone: *see* Amphenone
—— effect of bilat. adrenalectomy: *see* Adrenal disorders
—— effect of hypophysectomy: *see* Pituitary disorders
—— hormonal therapy: *see* Adrenal preps.; Androgens; Estrogens; Radioactive
—— I^{131} in study & treat. of: *see* Iodine, radioactive
—— of breast, appearing in bilat'y adrenalect'd woman, 1126*
—— prior x-irrad. of head & neck in children with thyroid cancer, 1487*, 1580*
CANCER (*cont.*)
—— Walker carcinoma in rats: effects of hormones on transplants of, 970†
CARBIMAZOLE: *see* Antithyroid drugs
CARBOHYDRATE METABOLISM: *see also* Diabetes mellitus; Insulin; Pancreas
—— alteration of, in adrenogen. syn., 985†
—— arylsulfonureas in diabetes, 1626*
—— blood sugar & liver glycogen of underfed rats, 986†
—— C^{14}-glucose in study of effect of cortisone in hypophy'd dogs, 934†
—— C^{14}-glucose; influence of adrenalect'y on metab. of, in dogs, 991†
—— CH and anabolic effects of growth hormone; dissociation of, 937†
—— effect of corticoids on, 984†
—— glucagon; *in vivo* effects on hepatic glycogen & gly. enzymes, 935†
—— glucagon-activating system; tissue & intracell. distrib. studied with I^{131}-glucagon, 935†
—— glucagon-I^{131}; distrib. & degrad. of, in rats, 985†
—— glycopexis in mice; effect of vit. B_{12} & cortisone on, 961†
—— glycosuric osteomalacia; renal response to amm. chloride in, 599*
—— hypoglycemia ketosis; role of hypophysis in, 983†
—— hypoglycemic attacks in Simmonds' dis. improved with cortisone, 1089*
—— in obesity, 367*, 375*, 653*
—— true glucose, urinary, as index of glucocorticoid activity, 958†
CARBOXYMETHYL CELLULOSE (CMC); not-adrenal-mediated anti-inflamm. effect of, 960†
CARBUTAMIDE: *see* Sulfonamides; Diabetes
CARCINOMA: *see* Cancer; and under specific organ involved
CARTILAGE: *see* Bone
CASTRATES: *see* Ovary; Testis
CATECHOL amines: *see* Adrenal preps. (medulla)
CHILDREN: *see also* Familial; Growth; Infants; and various endocrine disorders
—— and adolescents; thyroid cancer in, 1487*
—— congenital disorders: *see also* Congenital
—— cretinism, *see* Thyroidal disorders, hypothyroidism
—— corticosterone metabolism in, 952†
—— hermaphroditic; management of, 547*
—— hyperthyroidism in (endocrine factors), 62*
—— juvenile familial hypoadrenocorticism, hypoparathy'm & superficial moniliasis; sensitivity to morphine (autopsy), 1374*
—— precocious puberty: *see* Puberty, precocious
—— nodular lesions of the thyroid in, 1580*
—— normal & adipose; steroid excretion in, 473*
—— rheumatic fever; blood ACTH in, 262*
—— rheumatic fever treated with cortisone; PBI, corticoids & 17-KS, 634*
—— stimulation of growth by m. testosterone, 241*
CHLORIDE: *see* Electrolytes; Sodium
CHLOROCORTISOL: *see* Adrenal preps.

CHLORPROMAZINE: *see also* Tranquilizing agents
—— effect on pituitary function, 292*
—— effect on pituitary-adrenal function, 915†
—— inhib. of adrenal response to insulin hypoglycemia by, 913†
—— ovulation & menstruation delayed by, 972†
CHOLESTEROL: *see also* Lipids; and various endocrinopathies
—— effects of tetrac & triac on, in myxedema, 1299*, 1470*
—— metabolism; pancreatic alpha-cell function in relation to (in rabbits treated with $CoCl_2$), 507*
—— of plasma, as affected by MAG & hydrocort. in adrenalect'd patients, 338*
—— of serum; effect of orchiectomy on, 301*
CHOLESTANE-DIONE-3,6: *see* Adrenal preps.
CHORIONIC GONADOTROPIN: *see* Gonadotropins; Pregnancy
CHROMATIN, sex: *see* Sex
CHROMATOGRAPHY: *see* Methods
CHROMATOPHOROTROPIC hormone: *see* Pituitary preps.
CHROMOGENS: *see* Methods
CHROMOSOMAL sex: *see* Sex
CIBA AWARD: *see* Endocrine Society
CIRRHOSIS: *see* Liver
CLASSIFICATION of cretinism, 1522*
CLIMACTERIC: *see* Estrogens; Menstruation; Ovary
CLINICS, Teaching: *see* Teaching Clinics
COBALT
—— cobaltous chloride; effect on I^{131} uptake in man, 831*
—— cobaltous chloride-induced destruct. of pancreatic alpha cells in rabbit; cholesterol metab. in, 507*
CONGENITAL: *see also* Familial; Hermaphrodism; and under various endocrine glands
—— adrenal hyperplasia: *see* Adrenal disorders
—— cretinism: *see* Thyroid disorders, hypothyroidism
—— familial muscular dystrophy & gonadal dysgenesis, 1614*
—— goiter: *see also* Thyroid disorders
—— gonadal dysgenesis: *see* Ovary; Testis; Sex
—— Laurence-Moon-Biedl syndrome, 1622*
CONTENTS of Volume 16, page i (December)
COPPER in normal & path. human thyroid and other tissues, 123*
CORPUS luteum: *see* Ovary
CORTICOIDS; CORTICOSTEROIDS; CORTICOSTERONE: *see* Adrenal preps.; Steroids
CORTISOL: *see* Adrenal preps.
CORTISONE: *see* Adrenal preps.
CREATINE; CREATININE: *see* Nitrogen
CRETINISM: *see* Thyroid disorders, hypothyroidism
CRYPTORCHIDISM: *see* Testis; Sex
CUSHING'S SYNDROME: *see also* Adrenal disorders; Pituitary disorders
—— adrenal or pituitary disease? 1276*
—— aldosterone and related steroid in urine, 956†
—— and sexual precocity in 2-yr.-old boy, 674*
—— atypical; the adrenal hyperfunction in, 350*
CUSHING'S SYNDROME (*cont.*)
—— calcium tolerance test in, 981†
—— chromatophorotropic activity of blood in, 755*
—— effect of cortisone on serum protein & lipoprot. pattern in, 613*
—— fluctuation in excretion of adrenocort. steroids in, 286*
—— fulminating, and islet-cell carc. of pancreas, 1364*
—— hypertension; effect of Benodaine on, 529*
—— spontaneous remission, 406*
—— urinary 17-OH-CS as criterion of hypercorticism in, 960†
—— woman bilat'y adrenalect'd for; appearance of breast cancer in, 1126*

DDD; metabolic studies with, 956†
DEAF-MUTISM; relation to endemic goiter, 977†
DEHYDROGENASES: *see* Enzymes
11-DEOXYCORTISOL: *see* Adrenal preps.
DESOXYCORTICOSTEROIDS; DESOXYCORTICOSTERONE: *see* Adrenal preps.
DIABETES INSIPIDUS: *see* Pituitary disorders
DIABETES MELLITUS: *see also* Carbohydrate metab.; Insulin; Pancreas
—— adrenocortical function in, 986†
—— arylsulfonureas in treatment, 1626*
—— diabetes-vitiligo syndrome, 990†
—— differentiation of insulin disturbs. in, 932†
—— effect of prednisone in; inhib. by renal tubulin, 987†
—— fate of diiodotyrosine in, 735*
—— functional state of adrenal cortex in, 932†
—— glucose tolerance test: *see also* Carbohydrate metab.; Insulin
—— insulin: *see also* Insulin
—— insulin-sparing sulfonamides in; excretion studies, 821*
—— metabolic effects of prednisone in, 987†
—— severe; insulin resistance treated with ACTH; anti-insulin factor in serum, 680*
—— sugar tolerance test: *see also* Carbohydrate metab.; Insulin
—— temporary, from growth hormone alone, in tube-fed rat, 933†
—— use of laboratory tests in, 272*
DICKINSON RESEARCH MEMORIAL GRANTS, 837, 999
DIET: *see also* Nutrition; Obesity; Vitamins
—— low-phosphate; response to, in test for hyperparathy'm, 1507*
DIETHYLSTILBESTROL: *see* Estrogens
DIIODOTHYRONINE; DIIODOTYROSINE: *see* Thyroid preps.
2,4-DINITROPHENOL; effect on thyroidal & adrenal function in man, 1026*
DISTILLING head, simplified, for det'n of corticosteroids, 138*
DIURESIS: *see* Kidney; Pituitary disorders (diab. insip.) & preps. (antidiuretic); Water
DIURNAL
—— excretion of adrenaline & nor-ad., 222*
—— excretion of aldosterone & 17-OH-CS, 1326*
—— variation in 17-OH-CS; relation to eosinos. & electrolytes, 196*

DIURNAL (*cont.*)
—— variation in urinary vol. related to excretion of ADS, 28*
—— variation of plasma and ur. 17-OH-CS in night workers & blind subjects, 622*
—— variation of plasma total 17-OH-CS, 380*
DWARFISM: *see also* Children; Growth; and various endocrine disorders
—— cretinism: *see* Thyroid disorders, hypothyroidism
—— gonadal dysgenesis: *see* Ovary; Testis; Sex
—— pituitary dwarfism: *see* Pituitary disorders
—— stimulation of growth by m. testosterone, 241*
DUODENAL ULCER: *see* Gastro-intestinal tract
DYING patients: *see* Stress
DYSTROPHIA MYOTONICA: *see* Muscle

EDITOR, Letters to: *see* Letters to the Editor
EDITORIALS, 687*, 1276*, 1626*
ENCEPHALOGRAM (EEG): *see* Brain
ELECTROLYTES: *see also* Calcium; Magnesium; Sodium; and in various endocrine disorders
—— and eosinophils; relation to diurnal vars. in 17-OH-CS of blood & urine, 196*
—— and N excretion; effect of cortisone & hydrocort. on, by various routes, 953†
—— effect of Pitressin on, in hyperthyroidism, 322*
—— effect on synthesis of liver glycogen, 984†
—— exchangeable body Na & K in hyper- & hypothyroidism, 974†
—— excretion after admin. of various thy. hormones in myxedema, 1405*
—— excretion; effect of estrogens on, 1032*
—— excretion in adrenalect'd patient; effect of MAG, 338*
—— excretion in aged men, 779*
—— in normal and toxemic pregnancy, 1196*
—— low, in fulminating hyperadrenocort'm after removal of islet-cell tumor of pancreas, 1364*
—— metabolism of, in pregnant addisonian, 1251*
—— potassium of serum after i.v. insulin in ACTH hyperadrenocort'm, 489*
—— of serum; effect of orchiectomy on, 301*
—— sodium and K depletion; aldosterone excretion during, 953†
ENDOCRINE: *see also* Androgens; Estrogens; Gonadotropins; Hormones; Progesterone; Steroids; and various glands (preps. & compounds)
—— activity in anorexia nervosa, 801*
—— factors in hyperthyroidism in children, 62*
ENDOCRINE SOCIETY
ABSTRACTS
—— of papers presented at the 38th Annual Meeting (June 1956), Chicago, Ill., 912†
ANNUAL MEETINGS
—— *Thirty-eighth*, Chicago, Ill., June 1956
—— announcements of, 165, 296, 429, 561, 696, 834
—— program (last session, joint, with Am. Diabetes A.), 561
—— abstracts of papers on program. 912†
ENDOCRINE SOCIETY (*cont.*)
ANNUAL MEETINGS (*cont.*)
—— *Thirty-ninth*, New York, N. Y., May–June, 1957
—— announcements of, 1130, 1286, 1398, 1533, 1634
AWARDS (Medal of the Endocrine Society; Ciba Award; Ayerst, McKenna & Harrison Fellowship; Schering Scholar; Upjohn Scholar)
—— *for 1956*
—— announcements of, 166, 296, 429, 565, 696, 834
—— recipients of, 993
—— *for 1957*
—— announcements of, 997, 1130, 1286, 1399, 1534, 1634
FELLOWSHIPS: *see* Endocrine Society, awards
JOURNAL OF CLINICAL ENDCORINOLOGY & METABOLISM: *see* Journal
MEDAL: *see* Endocrine Society, awards
OFFICERS; COUNCIL; PUBLICATIONS COMMITTEE: EDITORIAL BOARD & EDITOR
—— *for 1955–56: see* general information pages, front adv. section, Jan.–June issues
—— *for 1956–57: see Ibid.*, July–Dec. issues
POSTGRADUATE ASSEMBLY IN ENDOCRINOLOGY & METABOLISM, (Eighth; Houston, Texas, Oct. 1956; sponsored with University of Texas)
—— announcements of, 431, 568, 699, 836, 999, (with program) 1132, 1288, 1401
SCHOLARS: *see* Endocrine Society, awards
ENDOCRINOLOGY: assemblies, conferences, congresses, meetings, postgraduate courses, symposiums, *see* under organizations listed in Announcements
ENDOMETRIUM: *see* Menstruation; Uterus
ENZYMES
—— dehydrogenases, steroid, as models for binding of hormonally active steroids, 924†
—— enzyme level for anti-estrogen activity of stilbestrol homologues, 924†
—— 11β-hydroxylase deficiency in hypertensive congen. adrenal hyperpl., 920†
—— 6β-hydroxylase in human placenta, 903*
—— 6β-hydroxylase in rat liver, 947†
—— pancreatic: *see* Pancreas
—— phosphatase: *see* Phosphorus
—— systems of adrenal cortex (histochemical data), 580*
EOSINOPHILS: *see* Blood
EPINEPHRINE: *see* Adrenal preps. (medulla)
EPIPHYSES: *see* Bone
ERRATA: 837; and i (Sept.)
ESTRADIOL; ESTRIN; ESTRIOL: *see* Estrogens
ESTROGENS: *see also* Gonadotropins; Hermaphroditism; Menstruation; Ovary; Pregnancy; Progesterone; Sex; Steroids
—— anti-estrogen activity of stilbestrol homologues at the enzyme level, 924†
—— and 17-KS excretion in virilizing adrenal adenoma, 1075*
—— diethylstilbestrol; effect on thyroxine-binding in serum, 1491*

ESTROGENS (*cont.*)
—— α-estradiol; cytologic effects of, on cultures of pineal gland, 940†
—— estradiol; effect on renal hemodynamics & electrolyte excretion, 1032*
—— estradiol-induced uterine growth in rats; suppression of, by ad. steroids & ACTH, 496*
—— estrogenic Leydig-cell tumor with metast. in male dog; bisexual hormone production, 1151*
—— estrone; effect on response to androgen in castrated male rat, 970†
—— excretion during admin. of hog FSH to women, castrated or not, 433*
—— excretion in man with pit. tumor & gynecomastia, 397*
—— implants in weanling rats; lipotropic effects of, 988†
—— in treatment of excessively tall girls, 249*
—— in treatment of premature ejaculation, 967‡
—— in treatment of surgical hypoparathy'm pptd. by menopause, 668*
—— urinary; essential factors for analysis by photofluorometry, 972†
—— various; comparative effects on FSH in castrated women, 966†
17-α-ETHINYL-19-NORTESTOSTERONE; progestational activity of, 869*
17-ETHYL-19-NORTESTOSTERONE; effects on serum proteins, lipoprots. lipids, 1388*
ETIOCHOLANOLONE: *see* Adrenal preps.
EUNUCHISM; EUNUCHOIDISM: *see* Ovary; Testis; Pituitary disorders
EXOPHTHALMIC GOITER: *see* Thyroid disorders, hyperthyroidism
EXOPHTHALMOS: *see* Eyes; and Thyroid disorders
EYES
—— blind subjects; diurnal var. of plasma & ur. 17-OH-CS in, 622*
—— exophthalmos: *see also* Thyroid disorders, hyperthyroidism
—— residual *vs.* involutional exophthalmos, 559*

FAMILIAL
—— congenital muscular dystrophy & gonadal dysgenesis, 1614*
—— cretinism: *see* Thyroid disorders, hypothyroidism
—— goiter; metab. of iodotyrosines in, 848*
—— goiter: *see also* Thyroid disorders
—— juvenile hypoadrenocort'm, hypoparathy'm & superficial moniliasis, 1374*
—— Laurence-Moon-Biedl syndrome in Arab boy, 1622*
—— myotonia atrophica with testicular atrophy, 1235*
FANCONI syndrome: *see* Bone, osteomalacia
FAT: *see also* Cholesterol; Lipids; Obesity
—— metabolism in 2 kinds of obese mice, 939†
——neutral, and ketones of blood during insulin-sparing sulfonamide therapy, 821*
—— obese rats and dogs; fat storage of DDD in, 956†
FAT (*cont.*)
—— radioactivity in, foll'g admin. of cortisol-4-C^{14}, 960†, 1137*
FECES: *see* Gastro-intestinal tract
FELLOWSHIPS: *see* Endocrine Society, awards; Am. Cancer Soc.,; Grants
FERN patterns in mucus: *see* Menstruation; Nasal; Uterus
FERTILITY: *see* Ovary; Pregnancy; Testis
FETUS: *see also* Pregnancy
—— genetic factors in cretinism, 1522*
—— placental transfer of thyroid hormone; relation to cretinism, 1392*
—— plasma progesterone of fetus, in pregnant addisonian, 1251*
FLUORO COMPOUNDS: *see* Adrenal preps.
FOLIC ACID: *see* Vitamins
FOLLICLE-STIMULATING HORMONE (FSH): *see* Gonadotropins; Pituitary
FOOD: *see* Diet; Nutrition; Obesity
FRONTIERS, beckoning, for thyroidologists, 1405*
FRUCTOSE/citric acid secretion: *see* Testis
FSH: *see* Gonadotropins; Pituitary

GALACTORRHEA: *see* Breast
GASTRO-INTESTINAL TRACT
—— duodenal *vs.* gastric ulcer; intermedin-like activity of blood in, 662*
—— fecal excretion of I^{131} foll'g dinitrophenol, 1026*
—— feces; radioactivity in, foll'g 4-C^{14}-cortisol, 1137*
—— gastric wound healing; effect of prednisone, 945†
—— rectum; absorp. of hydrocortisone from, 557*
—— steatorrhea, pseudohypoparathy'm & amenorrhea, 1043*
—— uropepsin, ulcerogenesis & hormones, 962†
GENETIC
—— factors in cretinism, 1522*
—— sex: *see* Sex; Ovary; Testis
GLOBULIN: *see* Protein
GLUCAGON: *see* Carbohydrate metabolism
GLUCOSE: *see* Carbohydrate metab.; Diabetes mell.; Insulin
GLYCOGEN: *see* Carbohydrate metabolism
GLYCOPEXIS: *see* Carbohydrate metabolism
GLYCOSURIA: *see* Carbohydrate metab.; Diabetes mell.
GOITER: *see* Thyroid disorders; Iodine; Antithyroid drugs
GOITROGEN: *see* Antithyroid drugs; Thyroid disorders
GONADOTROPINS: *see also* Pituitary preps.; Pregnancy
—— chorionic; effect on lipid & lipoprot. pattern of serum, 965†
—— chorionic; effect on rat adrenals, 947†
—— chorionic, in disturbed pregnancy; toad method for quant. estimation, 1354*
—— chorionic, in pregnancy: *see also* Pregnancy
—— chorionic, in treat. of male "eunuchoidism-with-low-FSH," 968†

GONADOTROPINS (*cont.*)
—— chorionic; urinary steroids during admin. of, in "idiopathic" hirsutism, 517*
—— FSH; comparative effects of various estrogens on, in castrated women, 966†
—— FSH excretion in myotonia atrophica, 1235*
—— FSH excretion in syndrome of amenorrhea, tetany & steatorr., 1043*
—— FSH excretion normal in 27-yr.-old woman with primary amenorrhea, 909*
—— FSH (hog) admin'd to women; antihormone formation & inhib. of ovaries, 433*
—— gonadotropic funct. of pituitary & mating in cats & rabbits; hypothalamic areas controlling, 914†
—— gonadotropic hormones; use of Adsormone for conc'n of, from urine, 940†
—— HMG (human menopausal) standard in estim. of ur. gonadotropins in non-pregnant subjects, 1180*
—— ICSH: *see* Pituitary preps.
—— inhibition of, by nor-ethandrolone in nonandrogenic doses, 926†
—— prolactin: *see* Pituitary preps.
GONADAL DYSGENESIS: *see also* Ovary; Sex; Testis
—— with androgenic manifestations in the tall eunuchoid female, 235*
GONADS: *see* Androgens; Estrogens; Gonadotropins; Hermaphrodism; Ovary; Sex; Testis
GRANTS: *see* Awards; Fellowships; Dickinson Research Memorial; Harvard School of Public Health; Public Health Service; Yale University
GRAVES' DISEASE: *see* Thyroid disorders, hyperthyroidism
GROWTH: *see also* Children; and under various endocrine disorders
—— excessive, in adolescent female; treatment, 249*
—— hormone: *see* Pituitary preps.
—— linear and skeletal; effect of methyltestosterone on, 241*
GYNECOMASTIA: *see* Breast

HAIR
—— hirsutism; effect of removal of adrenal tumor on, 1075*
—— hirsutism, "idiopathic"; a transitional adrenal abnormality; effect of CG, cortisone & ACTH on excretion of steroids in, 517*
—— hirsutism in infantile insufficiency, 817*
—— hirsutism: *see also* Adrenal disorders Cushing's syndrome; Hermaphrodism
HALOGENATED STEROIDS: *see* Adrenal preps.
HARVARD MEDICAL SCHOOL: Post-graduate courses in pediatrics (1956), 572
HARVARD SCHOOL OF PUBLIC HEALTH Scholarships, 170
HASHIMOTO disease: *see* Thyroid disorders (thyroiditis)
HEART: *see also* Vascular system
—— cardiac disease; excretion of ADS in, 28*
—— cardiac failure & thoracic caval constrict.; aldosterone studies in dogs with, 957†
HEMORRHAGE: *see* Blood
HERMAPHRODISM: *see also* Adrenal disorders Ovary; Sex; Testis
—— female; genetic sex det'd by vaginal smear, 155*
—— pseudohermaphrodism, female, with penile urethra, masquerading as precoc. puberty & cryptorchidism, 412*
—— pseudohermaphrodism; genetic & hormonal aspects of, 922†
—— recommendations concerning management, 547*
HIRSUTISM: *see* Hair
HORMONES: *see also* Androgens; Estrogens; Gonadotropins: Progesterone; Steroids; and under various endocrine glands
—— effect of, on Walker carcinoma in rats, 970†
—— effect on synthesis of liver glycogen, 984†
—— hormonal factors; influence on blood formation, 949†
HMG (human menopausal gonadotropin): *see* Gonadotropins
HYALINOSIS; role of pituitary in production of, by DCA, 943†
HYDROCORTISONE: *see* Adrenal preps.
17-HYDROXYCORTICOSTEROIDS: *see* Adrenal preps.
6-β-HYDROXYLASE: *see* Enzymes
17-α-HYDROXYPROGESTERONE
—— and the virilism of the adrenogenital syndrome, 1262*
—— conversion to cortisol by human adrenal *in vitro*, 1283*
HYPERGLYCEMIA: *see* Carbohydrate metab.; Diabetes mell.
HYPERTENSION: *see* Vascular system
HYPERTHYROIDISM: *see* Thyroid disorders
HYPERTRICHOSIS: *see* Hair
HYPOGENITALISM: *see* Androgens; Estrogens; Ovary; Testis
HYPOGLYCEMIA: *see* Carbohydrate metab.; Diabetes mell.; Insulin
HYPOGONADISM: *see* Androgens; Estrogens; Ovary; Testis
β-HYPOPHAMINE: *see* Pituitary preps.
HYPOPHYSIS: *see* Pituitary
HYPOPITUITARISM: *see* Pituitary disorders
HYPOTHALAMUS
—— hypothalamic action of adrenal steroids, 936†
—— hypothalamic areas controlling pit. gonadotropins & mating in cats & rabbits, 914†
—— in relation to polyuria foll'g hypophysectomy, 183*
—— morphology of neurosecretory neurons, in 941†
HYPOTHYROIDISM: *see* Thyroid disorders
HYPOXIA: *see* Oxygen

INCISOR: *see* Teeth
INDEX to Volume 16: author, 1638; subject, 1651
INFANTS: *see also* Congenital; Children; Fetus; Pregnancy
—— anencephalic; plasma 17-KS in, 1281*
—— cretinism; *see* Thyroid disorders, hypothyroidism
—— infantile thyroid insuff'y; hirsutism in, 817*

INFANTS (*cont.*)
—— newborn adrenal; isol. of highly unsat'd ketonic compound from, 949†
—— of unknown sex; leukocyte sex chromatin in, 1163*
—— six-month infant with renal acidosis; no aldosterone in urine, 950†
—— sporadic goiter in, 146*
INFERTILITY: *see* Ovary; Testis
INFLAMMATION: *see also* Stress
—— anti-inflammatory effect of carboxymethylcellulose, 960†
INSULIN: *see also* Carbohydrate metab.; Diabetes mell.; Pancreas
—— effect on excretion of epinephrine & norepi., 876*
—— hypoglycemia; effect on excretion of adrenaline & nor-ad. after hypophysectomy, 1017*
—— impaired insulinogenesis *vs.* increased destruction, in diabetes, 932†
—— insulin-glucose tol. curve in obesity; effect of ascorbic acid, 367*, 653*
—— insulin-sparing sulfonamides; excretion studies, 821*
—— plasma-insulin activity, 934†
—— resistance treated with ACTH, 680*
—— sensitivity; persistence of, in acute hyperadrenocort'm induced by ACTH, 489*
—— tolerance curves in anorexia nervosa, 801*
INTERMEDIN: *see* Pituitary preps.; Pigment
INTERSTITIAL-CELL-STIMULATING HORMONE (ICSH): *see* Pituitary preps.
INTERSTITIAL CELLS: *see* Testis
INTERNATIONAL Cancer Cytology Congress: 999; Congress of Internal Medicine, 299; Fertility Assoc. Regional Meeting, 299
IODINE: *see also* Thyroid preps. & comps.
—— assay of pork & beef thyroid, 1595*
—— effect of, on metab. of diiodotyrosine, 735*
—— iodinated compounds: *see also* Thyroid preps.
—— iodinated protein in serum in cancer of thyroid, 1554*
—— iodinated protein in serum in Hashimoto thyroiditis, 1576*
—— metabolism in cretinism, 1522*
—— metabolism in functional carc. of thyroid, 928†
—— metabolism in slices; new study method, 927†
—— PBI, BMR & I^{131} tests; clinical appraisal, 724*
—— PBI; effect of triac & tetrac on, 1470*
—— PBI in children with rheum. fever; effect of cortisone, 634*
—— PBI^{127} or PBI^{131}; simple ion exchange resin technique applied to det'n of, 1122*
—— prolonged ingestion of; goiter from, 141*, 1109*
RADIOACTIVE
—— diiodotyrosine deshalogenating activity of human thyroid tissue studied by, 1096*
—— effect of cobalt on thyroidal uptake of, in man, 831*
—— I^{131} clearances of plasma, salivary & thyroidal, in various thyroid states, 449*
—— I^{131}-glucagon; tissue distrib. of, in rats, 935†, 985†
—— I^{131} metabolism in lactating dogs, 989†
—— I^{131} uptake & excretion studies; tech. considerations in, 1102*
—— I^{131} uptake & PBI^{131}; effect of amphenone on, 705*
—— I^{131} uptake & PBI; effect of stilbestrol on, in thyroxine-binding studies, 1491*
—— I^{131} uptake & PBI; effect of TSH on, in hyperthyroidism, 979†
—— I^{131} uptake & PBI; effect of TSH on, in low thyroid reserve, 1438*
—— I^{131} uptake & PBI high in a nongoitrous cretin, 983†
—— I^{131} uptake & PBI in idiopathic subacute thyroiditis, 982†
—— I^{131} uptake & PBI in struma lymphomatosa, 35*
—— I^{131} uptake; effect of *l*-triiodothyronine on, 1480*
—— I^{131} uptake in subacute thyroiditis, 1422*
—— I^{131} uptake inhib'd by i.v. thyroxine in hypophysect'd adults, 1311*
—— I^{131} uptake, rate & clearance in hyperthyroidism, 980†
—— I^{131} uptake, ur. & fecal excretion, & PBI foll'g dinitrophenol, 1026*
—— in study of active iodine stores & daily hormonal output by thyroid, 930†
—— in study of effect of prednisone on thyroid function; thyroxine-binding in nephrosis, 643*
—— in study of fate of iodotyrosines, 735*
—— in study of metab. of iodotyrosines, 848*
—— in study of placental transfer of thyroxine & triiodothyronine, 1392*
—— in treatment of metast. thyroid cancer; factors influencing, 1*
—— iodide effect; mechanism of, in toxic goiter, studied by I^{131}, 130*
—— iodide; salivary secretion of, & PBI, studied by I^{131}, 1347*
—— metabolism of I^{131} in hypophysect'd rats, 982†
—— of serum; analysis of thyroxine & protein I^{131} fractions, 573*
—— radioiodine tests of thyroid function; clinical appraisal, 724*
—— serum pattern of thyroid hormones in thyroid states (I^{131} study), 928†
—— studies (I^{131}) in mongolism, 830*
—— thyroxine-binding of serum studied by, 280*
IRON and 17-OH-CS of plasma; diurnal vars. in normal & blind subjects & night workers, 622*
IRRADIATION: *see* Radioactive; Roentgen ray
ISOTOPES: *see* Radioactive

JOINTS: *see* Arthritis; Bone

JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM
—— Contents of Volume 16 (1956), page i, December issue
—— Editorial Board, Editor, Publications Committee, *see* Editorial page, front adv. section
—— Editorials: *see* Editorials
—— Indexes to Volume 16 (1956)—author, 1638; subject, 1651
—— Letters to the Editor: *see* Letters to the Editor
JUVENILE: *see* Children

KETOSIS: *see* Carbohydrate metab.
KETOSTEROIDS; 17-KETOSTEROIDS: *see* Steroids
KIDNEY: *see also* Urine
—— as an organ of internal secretion, 986†
—— diuresis: *see also* Pituitary disorders (diab. insip.) and preps. (antidiuretic); Water
—— glomerular lesions, cortisone-induced, in rabbits; effect of vit.B_{12}-antibiotic on, 944†
—— in Addison's disease with diabetes insip.; effects of vasopressin & hydrocort., 171*
—— nephrosis; thyroxine-binding protein in, 643*
—— renal excretion of steroids, 963†
—— renal hemodynamics; effect of estrogens on, 1032*
—— renal response to amm. chloride in glycosuric osteomalacia, 599*
—— renal tubulin; inhib. of effect of prednisone by, in diabetes, 987†
—— tubular reabsorption of phosphate in hyperparathy'm, 1507*
KLINEFELTER'S SYNDROME: *see* Testis; Sex

LACTATE of blood in obesity after ingestion of glucose, 375*
LACTATION: *see* Breast; Pregnancy
LAURENCE-MOON-BIEDL syndrome in Arab boy, 1622*
LAURENTIAN HORMONE CONFERENCE, 432; program, 700
LETTERS TO THE EDITOR, 153*, 155*, 160*, 163*, 280*, 282*, 286*, 290*, 292*, 293*, 426*, 557*, 559*, 689*, 690*, 693*, 821*, 829*, 830*, 831*, 903*, 905*, 908*, 1117*, 1120*, 1122*, 1125*, 1126*, 1281*, 1283*, 1388*, 1392*, 1395*, 1629*, 1631*
LEUKOCYTES: *see* Blood; Sex (chromatin)
LEYDIG CELLS: *see* Testis
LIBRARY, Armed Forces Medical (Editorial): 687*
LIPIDS & LIPOPROTEINS: *see also* Cholesterol; Fat; Protein
—— and lipoprotein of serum; effect of CG on, 965†
—— and lipoproteins of serum; species variations in response to the cortisones, 613*
—— lipotropic effects of estrogen implants in weanling rats, 988†
—— of adrenal cortex; histochemical findings; role in steroid synthesis, 580*
LIPIDS & LIPOPROTEINS (*cont.*)
—— of serum; effect of 17-ethyl-19-nortestosterone on, 1388*
—— serum lipoproteins in struma lymphomatosa, 35*
—— steatorrhea, tetany & amenorrhea, 1043*
LIVER
—— bile and liver tissue; radioactivity in, foll'g 4-C^{14}-cortisol, 1137*
—— bile; excretion of 4-C^{14}-corticosterone in, 1291*
—— bile; excretion of i.v. 4-C^{14}-testosterone in, 971†
—— biliary excretion & protein binding of radioactive steroids, 923†
—— cirrhosis of, in syndrome of fam. juv. hypoadrenocort'm, hypoparathy'm & superfic. moniliasis, 1374*
—— disease; metab. of progesterone in, 114*
—— function; effect of amphenone on, 705*
—— glycogen; synthesis of; effects of hormones & ions on, 984†
—— hepatic disease; excretion of ADS in, 28*
—— hepatic glycogen; *in vivo* effects of glucagon on, 935†
—— inactivation of androgen by, in capons, 962†
—— rate of *in vitro* transformation of cortisone & hydrocort. by, 916†
LOW THYROID RESERVE: *see* Thyroid disorders
LYMPH from thyroid; iodinated compounds in, 153*
LYMPHATIC TISSUE: *see also* Thyroid disorders (struma lymphomatosa)
—— increased in boy with fam. Addison's disease & hypoparathy'm (autopsy), 1374*

MAG; *see* Mono-ammonium glycyrrhizinate
MAGNESIUM
—— hypomagnesemia & hyperparathy'm, 973†
—— metabolism; effect of Na phytate on, 931†
MAMMARY GLAND: *see* Breast
MAMMOTROPIN: *see* Pituitary preps.
MEDAL: *see* Endocrine Society, awards
MEETINGS: *see* Announcements
MELANOPHORES: *see* Pigment
MENOPAUSE: *see* Menstruation; Ovary
MENSTRUATION: *see also* Estrogens; Progesterone: Ovary; Uterus
—— amenorrhea foll'g chlorpromazine, 292*
—— amenorrhea, primary, with spont. recovery; psychogenic factor, 909*
—— amenorrhea, steatorrhea & pseudohypoparathy'm; effect of Ca & probenecid on Ca & P in, 1043*
—— anovulatory women: *see also* Ovary
—— cyclical changes in female nasal mucus (fern patterns), 905*
—— menopause; surgical hypoparathy'm precipitated by, 668*
—— menstrual disorders; progestational effect of norethisterone in, 869*
—— normal non-preg. women; menopausal urine (HMG) as standard for gonadotropin assay in, 1180*
—— ovulation: *see also* Ovary; Progesterone

MENSTRUATION (*cont.*)
—— premenstrual tension & neurosis; serum ADH in, 894*
—— vaginal smears in virilizing adrenal adenoma with inc'd estrogen excretion; effect of removal of tumor, 1075*
MENTAL: *see also* Brain; Nervous system
—— neurosis and premenstrual tension; serum ADH in, 894*
—— psychogenic factor in some cases of primary amenorrhea, 909*
—— psychologic management of hermaphroditic children, 547*
—— psychosis in boy with fam. Addison's disease & hypoparathy'm, 1374*
—— schizophrenia and neurosis; aldosterone excretion in, 954†
—— schizophrenia; comparison of plasma 17-OH-CS & cortisol in, by 2 techniques, 253*
MERCAPTO COMPOUNDS
—— agranulocytosis foll'g methimazole in metast. thyroid cancer; effect of I^{131}, 1*
—— methimazole; effect on iodide-hormone-release in toxic goiter, 130*
METACORTANDRACIN: *see* Adrenal preps. (prednisone)
METHACHOLINE; effect on excretion of epinephrine & nor-epinephrine, 876*
METHIMAZOLE: *see* Mercapto compounds; Antithyroid drugs
METHODS: *see also* Tests
—— biologic standardization of thyroid preps. 1595*
—— chart for estimating size of metast. nodules in lungs, 1217*
—— extraction of cholestane-dione-3,6 from adrenal tumor, 1075*
—— for aldosterone in urine, 920†
—— for detection of sex chromatin: *see* Sex
—— for preparation of parathyroid extract without use of heat, 978†
—— for prolactin; histologic crop-sac criteria, 1337*
—— for total 17-OH-CS of plasma, 380*
—— HMG assay of urinary gonadotropins, 1180*
—— improved automatic feed in L-L apparatus for chromatography, 693*
—— improved, for chromatography of ur. norticoids, 950†
—— improved Silber-Porter procedure for det'n of plasma hydrocortisone, 1333*
—— *in vitro* assay for TSH, 927†
—— interfering chromogens in 17-KS determination, 1125*
—— modified, for detection of ACTH in normal human blood, 937†
—— Nelson-Samuels plasma 17-OH-CS method; systematic evaluation, 790*
—— Nelson-Samuels *vs.* paper chromatographic techniques for plasma 17-OH-CS & cortisol, 253*
—— new assay for TSH (water transfer in thyroid slices), 974†
—— new simplified staining for oral smears, in det'n of chromosomal sex, 964†
—— new study method for iodine metab. in slices, 927†
METHODS (*cont.*)
—— photofluorometry in analysis of ur. estrogens; essential factors for, 972†
—— reference standard in bioassay of relaxin, 966†
—— refinements in det'n of "free pregnanediol," 535*
—— simple ion exchange resin technique applied to det'n of serum PBI^{127} or PBI^{131}, 1122*
—— simplified distilling head for det'n of corticosteroids, 138*
—— technical considerations in I^{131} tracer studies, 1102*
—— toad method for quant. estimation of CG in disturbed pregnancy, 1354*
—— use of Adsormone for conc'n of gonadotropic hormones from urine, 940†
1-METHYL-2-CARBETHOXY-THIO-IMIDAZOLE: *see* Antithyroid drugs (carbimazole)
METHYLTESTOSTERONE: *see* Androgens
MONGOLISM
—— thyroidal function in, 830*
—— thyrotoxicosis in; tests of thyroid & pit. function, 160*
MONILIASIS, superficial, with hypoadrenocorticism & hypoparathy'm; familial, juvenile, 1374*
MONO-AMMONIUM GLYCYRRHIZINATE (MAG); action on adrenalect'd patients; synergism with hydrocortisone, 338*
MONO-IODOTYROSINE: *see* Thyroid preps.
MORPHINE; sensitivity to, in children with Addison's disease, 1374*
MUCUS
—— cervical (chromatin) & vaginal (cyclic changes): *see* Sex; Menstruation; Ovary; Uterus
—— nasal (cyclic changes): *see* Nasal
—— oral (chromatin): *see* Sex
MUSCLE
—— muscular dystrophy, familial, congenital, with gonadal dysgenesis, 1614*
—— muscular strength in aged men; effect of steroid therapy on, 779*
—— myotonia atrophica with testicular atrophy; hormonal excretion in, 1235*
—— radioactivity in, foll'g 4-C^{14}-cortisol, 1137*
MYOTONIA ATROPHICA: *see* Muscle
MYXEDEMA: *see* Thyroid disorders, hypothyroidism

NASAL mucus, female; cyclic changes (fern patterns) in, 905*
NELSON-SAMUELS method: *see* Methods
NEPHROSIS: *see* Kidney
NERVOUS SYSTEM: *see also* Brain; Mental
—— CNS; influence of, on adrenal steroids in dogs, 943†
—— CNS regulation of ACTH; aspects of, 914†
—— decapitated dogs; aldosterone secretion in, 915†
—— neurosecretory neurons; morphology of, 941†
—— spinal cord lesion; relation to hypo-

NERVOUS SYSTEM (*cont.*)
gonadism & gynecomastia; chromosomal sex, 1607*
NEUROSIS: *see* Mental
NEW YORK ACADEMY OF MEDICINE, 29th Annual Graduate Fortnight, 1000
NEW YORK HEART ASSOC. Conference (Jan. 1957), 1540
NEWBORN: *see* Infants
NIGHT: *see also* Diurnal
—— night workers; diurnal variation of plasma & ur. 17-OH-CS in, 622*
NITROGEN: *see also* Protein
—— and creatine metab.; effects of tetrac & triac on, 1299*, 1470*
—— balance during treatment with insulin-sparing sulfonamides, 821*
—— balance; effect of i.v. testosterone on, 775*
—— creatinine excretion in aged men, 779*
—— excretion after admin. of various thyroid hormones, 1405*
NONCONJUGATED adrenocort. steroids: *see* Adrenal preps.
NORADRENALINE: *see* Adrenal preps. (medulla)
NORETHANDROLONE: *see* Androgens
NORETHISTERONE: *see* Ethinyl-nortestosterone
NOTICES: *see* Announcements
NUCLEAR chromatin: *see* Sex
NUTRITION: *see also* Diet; Growth; Obesity; Vitamins
—— underfed rats; metabolic-endocrine alterations in, 986†

OBESITY: *see also* Fat; and assoc'd with various endocrine disorders
—— adipose and normal children; steroid excretion in, 473*
—— and leanness in a tropical country, 989†
—— food drive and satiety responses in mice foll'g ovariectomy, 968†
—— in mice, congenital and Au thioglucose-induced; differences in fat metab. in, 939†
—— lipodystrophia progressiva treated with androgens & cortisone, 990†
—— obese women; adrenocortical function in, 957†
—— studies in; insulin-glucose, pyruvate & lactate curves; effect of ascorbic acid, 367*, 375*, 653*
OPTICAL isomers: *see* Thyroid preps.
ORAL smears for sex chromatin: *see* Sex
ORINASE: *see* Sulfonamides; Diabetes
ORCHIECTOMY: *see* Testis
OSTEOMALACIA: *see* Bone
OVARY: *see also* Breast; Estrogens; Gonadotropins; Hermaphrodism; Menstruation; Pregnancy; Progesterone; Sex; Uterus
—— amenorrhea: *see also* Menstruation; Pregnancy
—— anovulatory infertile women; endocrine effects of x-irrad. of ovaries & pituitary, 969†
—— chromosomal sex: *see also* Sex
—— climacteric: *see also* Menstruation
—— corpus luteum; prolongation of life span of, 922†
—— excessively tall girls; treatment, 249*

OVARY (*cont.*)
—— familial congen. gonadal dysgenesis & musc. dystrophy, 1614*
—— female pseudoherm. with penile urethra (adrenocort. hyperplasia), 412*
—— feminization of male dog by Leydig-cell tumor, estrogenic, 1151*
—— fern patterns in female mucus (cervical, nasal): *see* Menstruation
—— fertility in women who had hyperthyroidism as children, 62*
—— gonadal dysgenesis; det'n of genetic sex from leukocyte morphology, 963†
—— inhibition of, & antihormone formation foll'g admin. of hog FSH, 433*
—— menstrual disorders: *see also* Menstruation
—— microcystic, in Stein-L. syndrome; histochem. studies, 971†
—— normal & abnormal females; leukocyte sex chromatin in, 1163*
—— ovarian activity (vag. smears) in anorexia nervosa, 801*
—— "ovarian agenesis"; genetic sex det'd by vaginal smear, 155*
—— ovariectomized mice; food drive & satiety, 968†
—— ovariectomized mice; rate of absorption of intraperit. progesterone in, 964†
—— ovulation & menstruation delayed by chlorpromazine, 972†
—— polycystic ovary syndrome; adrenocort. function in, 967†
—— preparations: *see also* Estrogens; Progesterone
—— prepubertal development of ovary; pituitary independence of, 925†
—— primary amenorrhea in 27-yr.-old woman; spont. recovery, 909*
—— pseudohermaphrodism: *see* Hermaphrodism
—— relaxin; bioassay of, using a reference standard, 966†
—— sex chromatin patterns: *see also* Sex
—— tall eunuchoid female; gonadal dysgenesis & androgenic manifests. in, 235*
—— therapy of ovarian disorders: *see also* Estrogens: Gonadotropins: Progesterone
OVULATION: *see* Menstruation; Ovary, Pregnancy
OXYGEN: *see also* Basal metabolism
—— hypoxic conditions; excretion of adrenaline & nor.-ad. in, 222*
—— O_2 consumption of kidney slices; effects of thyroxine & analogues on, 975†
—— uptake of O_2 by kidney slices; effect of acetic-acid analogues of triiodothyronine & thyroxine on, 929†

PANCREAS: *see also* Carbohydrate metab.; Diabetes mell.; Insulin
—— alpha cells destroyed by cobalt; effect on cholesterol metab. in rabbit, 507*
—— depancreatized dog; effects of testosterone in, 933†
—— effect of prednisone on, in rabbits, 992†
—— islet-cell carc. of, & fulminating hyperadrenocorticism, 1364*
—— trypsin & amylase of duod. juice in syn-

PANCREAS (*cont.*)
drome of steatorrhea, tetany & amenorr., 1043*
—— trypsin & amylase of duod. juice in syndrome of steatorrhea, tetany & amenorr., 1043*
PARATHYROID: *see also* Bone; Calcium; Phosphorus
—— hyperparathyroidism & hypomagnesemia, 973†
—— hyperparathyroidism; calcium tolerance test in, 977†, 981†
—— hyperparathyroidism; tests for; (P and Ca), 930†, 1507*
—— hypoparathyroidism as a cause of osteomalacia, 419*
—— hypoparathyroidism, exophthalmos & galactorrhea; Ca & P metab. in, 1245*
—— hypoparathyroidism, surgical, ppt'd by onset of menopause, 668*
—— parathyroid extract; preparation without use of heat, 978†
—— pseudohypoparathyroidism, steatorrhea & amenorrhea; effect of probenecid & parathyroid extr. on Ca & P, 1043*
—— "pseudo-pseudohypoparathyroidism"; concerning the term, 293*
—— syndrome of hypoparathyroidism, hypoadrenocort'm & moniliasis (fam., juv.); autopsy, 1374*
—— tetany as a complication of thyroid surgery, 1456*
PENIS: *see also* Androgen; Gonadotropins; Hermaphrodism; Testis
—— penile urethra in female pseudohermaph'm & adrenocort. hyperplasia, 412*
PHEOCHROMOCYTOMA; epinephrine & nor-epi. of plasma in, before & after operation, 949†
PHOSPHATASE: *see* Phosphorus
PHOSPHORUS: *see also* Bone; Parathyroids
—— and alk. phosphatase of serum in hypoparathy'm & osteomalacia, 419*
—— effect of probenecid on, in hypoparathy'm & galactorrhea, 1245*
—— effects of tetrac & triac on, in myxedema, 1299*
—— electrolyte & N excretion after admin. of various thyroid hormones, 1405*
—— inorganic, of serum, at progressive ages; ur. KS & androgens, 463*
—— inorganic, of serum; effect of orchiectomy on, 301*
—— metabolism in syndrome of steatorrhea, amenorrhea & tetany, 1043*
—— of serum, after i.v. insulin in ACTH hyperadrenocort'm, 489*
—— of serum; effect of estrogens on, in hypoparathy'm, 668*
—— phosphate; tubular reabsorp. of, and deprivation, in hyperparathy'm, 1507*
—— phospholipids: *see* Lipids
PIGMENT: *see also* Addison's disease
—— chromatophorotropic activity of blood, 755*
—— diabetes-vitiligo syndrome, 990†
—— expanding-melanophore test for intermedin, in peptic ulcer, 662*
PIGMENT (*cont.*)
—— suppression of, in zebra-fish embryos, by thyroid hormone, 978†
PINEAL GLAND; cytologic effects of α-estradiol on cultures of, 940†
PIPEROXANE HYDROCHLORIDE (Benodaine); effect on the hypertension of Cushing's syn., 529*
PITRESSIN: *see* Pituitary preps. (antidiuretic subst.; β-hypophamine; Pitressin; vasopressin)
PITUITARY: *see also* Gonadotropins
DISORDERS
—— acromegaly; ACTH resistance in, 207*
—— diabetes insipidus after hypophysectomy, 183*
—— diabetes insipidus after intracranial ops. or injury, 942†
—— diabetes insipidus and Addison's disease; effects of vasopressin & hydrocort., 171*
—— hypophysect'd, adrenalect'd, ovariect'd woman; effects of progesterone in, 931†
—— hypophysect'd adults; inhib. of I^{131} uptake by i.v. thyroxine, 1311*
—— hypophysectomy in man; adrenal function after, 912†
—— hypophysectomy in man; analysis of polyuria following, 183*
—— hypophysectomy in man; effect of hypoglycemia on excretion of catechol amines after, 1017*
—— hypopituitarism; aldosterone excretion in; effect of ACTH, 1541*
—— hypopituitarism; effect of TSH on I^{131} uptake & PBI, 1438*
—— hypopituitarism; inorg. P of serum in, 301*
—— hypopituitarism; serum thyroxine-binding in; effect of stilbestrol, 1491*
—— insufficiency; effect of preop. cortisone in preventing postop. complications, 747*
—— Is Cushing's syndrome a pituitary disease? 1276*
—— Simmonds' disease; effect of cortisone on Na metab. in, 1089*
—— tumor of, with gynecomastia & lactation, 397*
GONADOTROPINS: *see also* Gonadotropins
HORMONES: *see* Gonadotropins; Pituitary preps. & comps.
PHYSIOLOGY & PATHOLOGY
—— cytology, in adrenocortical diseases, 937†
—— function; effect of chlorpromazine, 292*
—— function in a thyrotoxic mongol, 160*
—— Houssay cats; plasma-insulin activity in, 934†
—— hypophyseal & metabolic effects of fluorohydrocort., 955†
—— hypophysect'd castrated male rats; direct action of mammary-stim'g hormones in, 967†
—— hypophysect'd castrated male rats; role of pit. & adrenals in maintenance of sex accessories, 941†

PITUITARY (*cont.*)
PHYSIOLOGY & PATHOLOGY (*cont.*)
—— hypophysect'd dogs: C^{14}-glucose study of effect of cortisone in, 934†
—— hypophysect'd rats; iodine metabolism in, 982†
—— hypophysect'd rats; role of pit. in DCA-induced hyalinosis, 943†
—— metabolic principles; improved differentiation, 932†
—— neurohypophysis; effect of adrenal hormones on, 915†
—— pituitary activity (FSH) in anorexia nervosa, 801*
—— pituitary independence of prepubertal development of ovary, 925†
—— pituitary operations; prophylactic use of cortisone for, 747*
—— pituitary-adrenal response to stress, 912†
—— role of hypophysis in ketosis of hypoglycemia, 983†
—— x-irrad. of pituitary & ovaries in anovulatory infertile women, 969†
PREPARATIONS & COMPOUNDS
—— ACTH: *see* separate category (adrenocorticotropic hormone)
—— antidiuretic activity of serum in neurosis & premenstr. tension, 894*
—— antidiuretic subst.; excretion of, related to urinary vol., 28*
—— anti-ICSH serum; effect on testes of estrogenized mice, 962†
—— chromatophorotropic activity of human blood, 755*
—— "corticotropin-potentiating factor" in Cushing's syndrome? 1276*
—— FSH: *see* Gonadotropins
—— gonadotropic hormone: *see also* Gonadotropins
—— growth hormone alone, as cause of diabetes in tube-fed rat, 933†
—— growth hormone; dissoc. of anabolic & CH effects, 937†
—— growth hormone; effect on uptake of S^{35} by cartilage, 988†
—— growth hormone of primate pituitary; effect in hypophysect'd monkey, 916†
—— β-hypophamine (Pitressin); decreased antidiuretic response to, in hyperthyroidism, 322*
—— ICSH excretion in myotonia atrophica, 1235*
—— intermedin-like activity of blood in duod. *vs.* gastric ulcer, 662*
—— mammotropin, to produce prolong. of corpus luteum life span, 922†
—— pituitary fractions; separation of, by ultracentrifuge, 938†
—— pituitary principles; metabolic effects of each, 932†
—— prolactin; histologic crop-sac criteria for detection of; lack of, in human blood & urine, 1337*
—— prolactin, urinary, in case of pit. tumor with gynecomastia & lactation, 397*
—— TSH: *see* separate category (thyroid-stimulating hormone)

PITUITARY (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— vasopressin; effect in Addison's disease with diabetes insipidus, 171*
Adrenocorticotropic Hormone (ACTH): see also Adrenal physiology
—— ACTH-induced rise in plasma 17-OH-CS; effect of testosterone on, 1227*
—— acute hyperadrenocort'm induced by; persistence of insulin sensitivity in, 489*
—— adrenal response to; effects of prednisone & cortisone on, 1059*
—— aspects of CNS regulation of, 914†
—— detection in normal human blood; method, 937†
—— effect in restoring adrenal function, 941†
—— effect of tranquilizing agents on, 938†
—— effect on estradiol-induced uterine growth in rats, 496*
—— effect on excretion of aldosterone, 1541*
—— effect on histochem. pattern of ad. cortex in stress, 580*
—— effect on plasma 17-OH-CS in dying patients, 1001*
—— effect on quant. (urinary) 17-OH-CS patterns, 282*
—— effect on rate of steroid metabolism, 921†
—— effect on steroid excretion in pregnant addisonian, 690*
—— effect on steroids in surgical adrenocort. states, correlated with morphology of tissue, 946†
—— effect on urinary BTS & P-S steroids, 936†
—— effect on urinary steroids in "idiopathic" hirsutism, 517*
—— excretion of adrenaline & nor-ad. following, 222*
—— in blood of children with rheum. fever, 262*
—— in treatment of insulin resistance, 680*
—— *in vitro* action on reducing subst. & QO_2 in frog adrenal tissue, 942†
—— influence on adrenal homogenate in vit.-E deficient rabbits, 959†
—— not identified by expanding-melanophore test, 662*
—— of plasma, foll'g admin. of corticosteroid in Add. disease, 913†
—— pituitary-adrenal function; effect of chlorpromazine on, studied with ACTH in rats, 915†
—— quant. effect on EEG, 839*
—— resistance to, in acromegaly, 207*
—— three constituents of, 755*
—— use in hypercalcemic states, 945†
Thyroid-Stimulating Hormone (TSH): see also Thyroid disorders & physiology
—— effect on I^{131} uptake & PBI after admin. of i.v. thyroxine to hypophysect'd adult, 1311*
—— effect on I^{131} uptake & PBI in myxe-

PITUITARY (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
Thyroid-Stimulating Hormone (*TSH*) (*cont.*)
dema foll'g prolonged ingest. of iodine, 1109*
—— effect on iodide-hormone-release in toxic goiter, 130*
—— effect on iodinated comps. in lymph from thyroid, 153*
—— effect on thyroidal iodine turnover in hyperthy'm, 979†
—— effect on *l*-triiodothyronine-suppressed I^{131} uptake, 1480*
—— *in vitro* assay for, 927†
—— level of, in residual *vs.* evolutional exophthalmos, 559*
—— metabolic fate of, in rats, 976†
—— new assay for, using water transfer in thyroid slices, 974†
—— response of PBI to, in diagnosis of hypothy'm, 976†
—— TSH test for low thyroid reserve, 1438*
—— TSH test in struma lymphomatosa, 35*
—— TSH test in subacute thyroiditis, 1422*
PLACENTA: *see* Pregnancy; Gonadotropins, chorionic
POLYURIA: *see* Kidney; Water
POSTGRADUATE ASSEMBLY in Endocrinology and Metabolism: *see* Endocrine Society
POST-GRADUATE COURSES in Pediatrics (1956): *see* Harvard Medical School
POTASSIUM: *see* Electrolytes
PRECOCIOUS: *see* Puberty; Sex
PREMENSTRUAL tension: *see* Menstruation
PREDNISOLONE; PREDNISONE: *see* Adrenal preps.
$\Delta^{1,4}$-PREGNADIENE-3-20-DIONE-11β-17α-21-TRIOL: *see* Adrenal preps.
PREGNANCY: *see also* Estrogens; Gonadotropins; Menstruation; Ovary; Progesterone
—— aldosterone excretion in, 426*
—— chorionic gonadotropin in: *see also* Gonadotropins
—— effect of stilbestrol on serum thyroxine-binding in, 1491*
—— in an addisonian; steroid excretion before & after delivery; lack of 17-OH-CS, 690*
—— lactation: *see also* Breast
—— late; prednisone *vs.* cortisone; effect on plasma 17-OH-CS, 1059*
—— normal & disturbed; further exper. with toad method for detecting CG, 1354*
—— placenta at term; transfer of thyroid hormone across, 1392*
—— placenta; blood content of, 1120*
—— placenta; 6-β-hydroxylase in, 903*
—— placental transfer of perchlorate & triiodothyronine in g. pig, 927†
—— placental transfer of thyroid hormone in relation to cretinism, 1522*
—— pregnanediol: *see also* Pregnanediol
—— pregnant addisonian; electrolyte & steroid metab. in; placental progesterone, 1251*
—— production of deciduoma in rat; loss of uterine sensitivity foll'g, 925†
—— rat hyperemia test for; comments, 290*
PREGNANCY (*cont.*)
—— thiouracil therapy in relation to goiter of newborn, 146*
—— thyroxine-binding by serum in, 280*
—— toxemic; mineralocorticoid activity in, 958†
—— toxemic; vascular reactivity & electrolytes in; pre-toxemia test, 1196*
PREGNANEDIOL: *see also* Progesterone; Pregnancy
—— and pregnanetriol excretion foll'g admin. of 17-α-hydroxyprogesterone, 1262*
—— excretion after admin. of progesterone in liver disease, 114*
—— excretion during admin. of hog FSH to women, 433*
—— excretion foll'g admin. of noresthisterone, 869*
—— excretion in a pregnant addisonian, 1251*
—— "free"; refinements in the det'n of, 535*
PROGESTERONE: *see also* Estrogens; Menstruation; Pregnancy; Steroids
—— biosynthesis of androgens from by human testis, 1629*
—— conversion to cortisol by human adrenal, 1283*
—— 6-β-hydroxylase in placenta; 6-β-OH-progesterone, 903*
—— 17-α-hydroxyprogesterone: *see* Hydroxyprogesterone
—— intraperitoneally, in mice; rate of absorption, 964†
—— i.v. progesterone; effect on plasma 17-OH-CS, 1227*
—— metabolic effects in relation to action of estrogen & pit. hormones, 931†
—— metabolism of, in liver disease, 114*
—— plasma, placental & fetal values for, in pregnant addisonian, 1251*
—— pregnanediol: *see* Pregnanediol
—— progestational activity of 17-α-ethinyl-19-nortestosterone, 869*
PROBENECID; effect on Ca & P in syndrome of pseudohypoparathyroidism, steatorrhea & amenorrhea, 1043*
PROGRAMS: *see* Endocrine Society; Am. Goiter A.; Laurentian Hormone Conf.
PROLACTIN: *see* Pituitary preps.
PROPYLTHIOURACIL: *see* Thiouracil; Antithyroid drugs
PROSTATE & SEMINAL VESICLES: *see* Testis
PROTEIN: *see also* Nitrogen; Lipids (lipoproteins)
—— and lipoproteins of serum; effect of 17-ethyl-19-nortestosterone on, 1388*
—— and lipoproteins of serum; species variation in response to the cortisones, 613*
—— binding & biliary excretion of radioactive steroids, 923†
—— gamma globulin, human; unusual instance of thyroxine-binding by, 573*
—— human serum albumin as vehicle for estradiol, 1032*
—— human serum albumin as vehicle for i.v. testosterone; effect on plasma 17-OH-CS & N. balance, 775*, 1227*
—— iodinated, in serum in cancer of the thyroid, 1554*
—— iodinated in serum in Hashimoto thyroiditis, 1570*

PROTEIN (*cont.*)
—— of serum; effect of orchiectomy on, 301*
—— serum gamma-globulin & albumin in struma lymphomatosa, 35*
—— serum protein patterns in subacute thyroiditis, 1422*
—— thyroxine-binding protein of serum; effect of stilbestrol, 1491*
PSEUDOHERMAPHRODISM: *see* Hermaphrodism
PSEUDO-PSEUDOHYPOPARATHYROIDISM: *see* Parathyroid
PSYCHOGENIC (PSYCHOLOGIC) factors: *see* Mental; Nervous system; Stress
PUBERTY
—— normal: *see* Ovary; Testis; Children
—— precocious, and Cushing-like syndrome, in 2-yr.-old boy, 674*
—— precocious, female; effect of hog FSH; antihormones, 433*
—— precocious: *see also* Adrenal disorders
PUBLIC HEALTH SERVICE GRANTS: 1) for training in steroid investigation, 1403; 2) for research, 837
PYROGENIC effect of etiocholanolone, 948†
PYRUVATE of blood in obesity, after ingestion of glucose, 375*

RADIATION: *see* Radioactive; Roentgen ray
RADIOACTIVE
—— acetate-1-C^{14}; incorp. in urinary steroids, 920†
—— Ca^{45}; *see* Calcium
—— 4-C^{14}-corticosterone: *see* Adrenal preps.
—— 4-C^{14}-cortisol: *see* Adrenal preps.
—— C^{14}-glucose: *see* Carbohydrate metab.
—— 4-C^{14}-hydrocortisone: *see* Adrenal preps.
—— 4-C^{14}-testosterone: *see* Androgens
—— C^{14}-labeled steroids; biliary excretion & protein binding of, 923†
—— I^{131}: *see* Iodine, radioactive
—— I^{131}-glucagon: *see* Iodine, radioactive
—— P^{32}: *see* Testis
—— S^{35}: *see* Sulfur
RADIOIODINE: *see* Iodine, radioactive
RAT hyperemia test for pregnancy; comments, 290*
REACTIONS: *see* Allergy; Toxicity
RECIPIENTS of Awards: *see* Endocrine Society; Am. Goiter A.
RECTUM: *see* Gastro-intestinal tract
RELAXIN: *see* Ovary
RENAL: *see* Kidney; Urine
REPRODUCTION: *see* Menstruation; Ovary; Pregnancy; Testis
RESIN technique applied to det'n of PBI, 1122*
REVIEW, 1262*
RHEUMATIC FEVER
—— blood ACTH in children with, 262*
—— cortisone therapy of, in children; relation to PBI, corticoids & 17-KS, 634*
RHEUMATOID ARTHRITIS: *see* Arthritis
RICKETS: *see* Bone (osteomalacia)
RIEDEL'S STRUMA: *see* Thyroid disorders (thyroiditis)
ROENTGEN RAY
—— irrad. of ovaries & pit. in anovulatory infertile women, 969†
ROENTGEN RAY (*cont.*)
—— prior irrad. of head & neck in children with thyroid cancer, 1487*, 1580*
—— therapy, adjunctive: *see also* in various endocrine disorders

SALIVA
—— Na/K ratio of, in toxemic pregnancy, 1196*
—— salivary & thyroidal I^{131} clearances of plasma in various thyroid states, 449*
—— secretion of iodide in, studies by I^{131}, 1347*
SALT: *see* Electrolytes; Sodium
SCHERING SCHOLAR: *see* Endocrine Society, awards.
SCHIZOPHRENIA: *see* Mental
SCHOLARS OF THE ENDOCRINE SOCIETY: *see* Endocrine Society, awards
SCHOLARSHIPS: *see* Endocrine Society; Grants
SEX: *see also* Androgens; Estrogens; Gonadotropins; Hermaphrodism; Ovary; Testis
—— assignment of, in management of hermaphrodism, 547*
—— bisexual hormone production; estrogenic Leydig-cell tumor, 1151*
—— chromatin: occurrence in congen. testicular hypoplasia, 969†
—— chromatin pattern in tall eunuchoid female with androgenic manifests., 235*
—— chromatin pattern in testicular disorders; relation to true hermaphrodism, 923†
—— chromatin test in Klinefelter's syndrome (oral smear), 689*
—— chromosomal; detection of, by blood smear, 55*
—— chromosomal, in case of cord lesion with hypogonadism & gynecomastia, 1607*
—— chromosomal; new staining procedure for oral smears, 964†
—— cytologic tests of, in congen. testicular hypoplasia, 829*
—— genetic; and hormonal aspects of gonadal dysgenesis & pseudoherm., 922†
—— genetic; chromatin test *vs.* gonadal histology, 1117*
—— genetic; det'n of, from leukocyte morphology, 963†, 1163*
—— hormones; metabolic relationship to folic acid, 964†
—— sex differences in orient'n of reduction products of 3-keto-C_{19} steroids by liver homogenates, 924†
—— sexual & somatic precocity with Cushing-like syn., in 2-yr.-old boy, 674*
—— sexual maturation; effect on serum inorg. P, 301* 463*
SILBER-PORTER: *see* Methods
SIMMONDS' DISEASE: *see* Pituitary disorders
SKIN
—— cutaneous absorp. of hydrocortisone, 557*
—— effect of triiodothyronine on, 1405*
—— epidermis of mice; inhib. of mitotic activity in, by fluorocortisol, 944†
—— in atypical Cushing's syn., 350*
—— pigmentation: *see* Pigment; Addison's disease
—— sex chromatin: *see* Sex

SLEEP: *see* Diurnal
SMEARS
—— oral, for sex chromatin pattern: *see* Sex
—— blood: *see* Blood; Sex (chromatin)
—— cervical & vaginal: *see* Sex (chromatin); Estrogens; Ovary; Uterus & Vagina
SODIUM: *see also* Electrolytes
—— high Na-retaining potency of 2-methyl-hydrocortisone, 917†
—— metabolism; effect of cortisone on, in Simmonds' dis., 1089*
—— phytate; effect on Ca and Mg metab., 931†
—— sodium-retaining substances: *see also* Adrenal preps. (aldosterone, etc.)
—— *l*-thyroxine: *see* Thyroid preps.
SPECIES
—— beef, sheep & human thyroid; diiodotyrosine deshalogenating activities of, 1096*
—— effect of hog & sheep FSH in women; antihormones, 433*
—— effect of primate (*vs.* beef & pig) growth hormone in hypophysect'd monkey, 916†
—— man & dog; 17-OH-CS of plasma in, 790*
—— pork *vs.* beef thyroid preparations, 1595*
—— specificity for dog, of DDD effect on adrenal, 956†
—— variation in response of serum proteins & lipids to the cortisones, 613*
SPERMATOZOA: *see* Testis
SPINAL CORD: *see* Nervous system
SPONTANEOUS
—— recovery from primary amenorrhea in 27-year.-old woman, 909*
—— remission of Cushing's syndrome, 406*
STEATORRHEA: *see* Gastro-intestinal tract
STERILITY: *see* Menstruation; Pregnancy; Ovary; Testis
STEROIDS
—— aldosterone: *see* Adrenal preps.
—— androgens: *see* Androgens
—— corticoids & corticosteroids: *see* Adrenal preps.
—— cortisol; cortisone: *see* Adrenal preps.
—— determination of: *see* Methods
—— dihydroxy-ketosteroids: *see* Adrenal preps.
—— estrogens: *see* Estrogens
—— excretion in pregnant addisonian, before & after delivery, 690*
—— excretion of, foll'g admin. of norethisterone, 869*
—— halogenated: *see* Adrenal preps.
—— hormone metabolites; allergenic properties of, 965†
—— hydroxyprogesterone: *see* Hydroxyprogesterone
—— in microcystic ovaries; histochem. studies, 971†
—— 3-keto-C_{19} steroids; sex differences in orient'n of reduction products by liver homogenates, 924†
—— ketosteroids, urinary; relation to serum inorg. P in men, 463*
—— metabolism of, in virilizing adrenocort. tumor; effect of removal, 1075*
STEROIDS (*cont.*)
—— pregnanediol: *see* Pregnanediol; Pregnancy
—— progesterone: *see* Progesterone
—— renal excretion of, 963†
—— steroid dehydrogenases as models for binding of hormonally active steroids, 924†
—— studies in I-C tumor of testis, 970†
—— urinary; effect of amphenone on, 705*
—— urinary, in aged men; effect of steroid therapy, 779*
17-KETOSTEROIDS
—— and estrogen in adrenal adenoma, 1075*
—— determination of; interfering chromogens, 1125*
—— excretion of, in adipose children, 473*
—— fluctuation in excretion of, in Cushing's syn., 286*
—— in children with rheum. fever; effect of cortisone, 634*
—— in "idiopathic" hirsutism, 517*
—— in myotonia atrophica, 1235*
—— in spont. remission of Cushing's syn., 406*
—— in two-yr.-old boy with sexual precocity & Cushing-like syn., 674*
—— plasma 17-KS in anencephalic infant, 1281*
—— urinary; effect of amphenone on, 954†
STRESS
—— dying patients; metab. of adrenal steroids in, 1001*
—— dying patients, schizophrenia & other states; plasma 17-OH-CS & cortisol in, compared by 2 techniques, 253*
—— effect of ACTH on histochem. pattern of adrenal cortex during, 580*
—— effect on aldosterone excretion, 961†, 1326*
—— excretion of adrenaline & nor-ad. during, 222*
—— "operative," and ACTH; effect on quant. ur. 17-OH-CS patterns, 282*
—— surgical stress; effect of androgens on plasma 17-OH-CS in, 483*
STRUMA: *see* Thyroid disorders
SUBJECT INDEX to Volume 16, 1651*
SUGAR: *see* Carbohydrate metab.; Diabetes mell.; Insulin; Pancreas
SULFONAMIDES (carbutamide; tolbutamine—BZ55; Orinase)
—— arylsulfonureas and diabetes mellitus, 1626*
—— insulin-sparing; excretion studies, 821*
SULFUR: *see also* Mercapto; Thio; Sulfonamides
—— S^{35}; uptake by cartilage; effect of growth hormone, 988†
SURGICAL stress: *see* Stress
SWEDEN; history of goiter in, 977†
SYNDROMES: *see also* various endocrinopathies
—— adrenogenital: *see* Adrenal disorders
—— Cushing's: *see* Cushing's syndrome
—— familial, juvenile, hypoadrenocort'm, hypoparathy'm & superfic. monoliasis, 1374*
—— Fanconi: *see* Bone, osteomalacia
—— Klinefelter's: *see* Testis; Sex
—— Laurence-Moon-Biedl in Arab, 1622*

SYNDROMES (*cont.*)
—— steatorrhea, pseudohypoparathy'm & amenorrhea, 1043*
SYNOVIAL FLUID: metabolites of hydrocortisone & cortisone in, in rheum. arthritis, 86*

TEACHING CLINICS, 146*, 272*, 419*, 547*
TEETH; incisor of rat; precocious eruption foll'g cortisone, 946†
TEMPERATURE
—— pyrogenic effect of etiocholanolone, 948†
—— thermal injury (heat); adrenocort. insuffic'y after, 955†
TESTIS: *see also* Androgens; Gonadotropins; Hermaphrodism; Steroids
—— accessory sex organs; fructose & citric-acid secretion studied by P^{32} in g. pig, 973†
—— aged men; steroid replacement in, 779*
—— atrophy of (biopsy), with myotonia atrophica; hormonal excretion, 1235*
—— castrated hypophysect'd rat; role of pit. & adrenals in maintenance of sex accessories, 941†
—— castrated male rats; enhanced growth of adrenal tumor transplants, 945†
—— chromosomal sex: *see* Sex
—— disorders secondary to hypopituitarism: *see* Pituitary disorders
—— familial, congen. gonadal dysgenesis & muscular dystrophy, 1614*
—— human; biosynthesis of androgens from progesterone by, 1629*
—— hypogonadism & gynecomastia; relation to cord lesion; chromosomal sex, 1607*
—— hypoplasia, congenital; occurrence of sex chromatin in, 969†
—— interstitial-cell response to ACTH & CG; relation to adrenocort. response, 939†
—— interstitial-cell tumor; steroid studies in, 970†
—— Klinefelter's syndrome; chromatin test (oral smear) in, 689*
—— Klinefelter's syndrome; chromatin test (oral smear) *vs.* gonadal histology, 117*
—— Laurence-Moon-Biedl syndrome in Arab boy, 1622*
—— Leydig-cell tumor, estrogenic, in male dog; bisexual hormone production, 1151*
—— male "eunuchoidism-with-low-FSH;" CG therapy in, 968†
—— normal and abnormal males; leukocyte sex chromatin in, 1163*
—— normal gametogenesis in case of pit. tumor with gynecomastia, 397*
—— normal men; HMG as standard for gonadotropin assay in, 1180*
—— of estrogenized mice; effect of anti-ICSH serum on, 962†
—— orchiectomy; effect on blood chemistry (incl. inorg P) in young mature males, 301*
—— precocious puberty: *see* Puberty
—— premature ejaculation; treatment with estrogens, 967†
—— pseudohermaphrodism: *see also* Hermaphrodism
TESTIS (*cont.*)
—— pseudohermaphrodism, female, with penile urethra, 412*
—— preparations & compounds: *see* Androgens; Steroids
—— stimulation of, by gonadotropins: *see also* Gonadotropins
—— teratoma of, with metastatic choriocarc.; effect of bilat. adrenalect'y on, 1217*
—— testicular disorders; sex chromatin pattern in; relation to true hermaphrodism, 923†
—— testicular hypoplasia, congen.; cytologic tests of sex in, 829*
—— two-yr.-old boy; sexual precocity & Cushing-like synd., 674*
TESTS: *see also* Methods
—— calcium tolerance: *see* Calcium
—— cyclical arborization (ferns) in cervical mucus: *see* Uterus
—— cyclical arborization (ferns) in nasal mucus, 905*
—— cytologic (chromatin) for genetic sex: *see* Sex
—— diuresis tests in Addison's dis. with diabetes insip., 171*
—— early, for toxemic pregnancy, 958†, 1196*
—— expanding-melanophore; identifies intermedin, not ACTH, 662*
—— for hyperparathyroidism, 930†, 1507*
—— for pregnancy: *see also* Pregnancy
—— for thyroid function: *see also* Thyroid; Iodine, radioactive
—— *Hyla* test for chromatophorotropic activity, 755*
—— hypertonic saline test in diabetes insip., 171*, 183*
—— insulin tolerance: *see* Insulin
—— laboratory; use of in diabetes, 272*
—— rat hyperemia, for pregnancy; comments, 290*
—— sugar tolerance: *see* Carbohydrate metab.
TESTOSTERONE & COMPOUNDS: *see* Androgens; Steroids
TETANY: *see* Calcium; Parathyroid
TETRAC: *see* Thyroid preps.
TETRAIODOTHYROACETIC ACID (tetrac): *see* Thyroid preps.
THERMAL: *see* Temperature
THIOURACIL: *see also* Antithyroid drugs; Thyroid
—— therapy in pregnancy, relative to goiter in newborn, 146*
THYROID: *see also* Antithyroid drugs; Iodine
DISORDERS
—— adrenocort. function in, 981†
—— cancer in childhood, 1487*
—— cancer; iodinated protein in serum of, 1554*
—— cancer; study & treat. of with I^{131}; *see also* Iodine radioactive,
—— carcinoma, functional; iodine metab. in, 928†
—— carcinoma, metastatic; factors influencing treat. with I^{131}, 1*
—— carcinoma; unusual thyroxine-binding by serum in, 573*
—— clinical appraisal of I^{131} tests, PBI & BMR in, 724*

THYROID (*cont.*)
DISORDERS (*cont.*)
—— dysfunction, unusual, foll'g prolonged ingest. of iodine, 1109*
—— endemic goiter and cretinism; genetic factors, 1522*
—— endemic goiter; relation to deafmutism, 977†
—— exchangeable body Na & K in, 974†
—— goiter, familial; metab. of iodotyrosines in, 848*
—— goiter from prolonged ingestion of iodide, 141*
—— goiter; history of, in Sweden, 977†
—— goiter, sporadic, in newborn; relation to thiouracil therapy in mother, 146*
—— goiter surgery; complications of, 1456*
—— hyperthyroidism and hypothyroidism: *see* separate category for each
—— I^{131} tracer studies in; technical considerations, 1102*
—— low thyroid reserve (5 types); significance of; TSH test, 1438*
—— neoplasms; Cu and Zn in, 123*
—— nodular lesions of thyroid in children, 1580*
—— nontoxic goiter; effect of *l*-triiodothyronine in, 980†
—— problems for research in, 1405*
—— ratios of salivary I^{131} to PBI^{131} in, 1347*
—— struma lymphomatosa; primary thyroid failure; treatment, 35*
—— thyroiditis, acute, followed by thyrotoxicosis, 542*
—— thyroiditis; clinico-pathologic study, 1433*
—— thyroiditis, Hashimoto; unusual iodinated protein in serum of, 1570*
—— thyroiditis, idiopathic, subacute; I^{131} & PBI in, 982†
—— thyroiditis, subacute; new observations, 1422*
—— various; comparison of salivary, renal & thyroidal I^{131} clearance of plasma in, 449*
Hyperthyroidism (exophthalmic goiter, Graves' disease, thyrotoxicosis, toxic adenoma)
—— antithyroid drugs in treatment of: *see also* Antithyroid drugs; Mercapto comps.; Thiouracil
—— basal metabolism: *see also* Basal metabolism
—— BMR and I^{131} tests in; clinical appraisal, 724*
—— carbimazole; clinical expers. with; toxicity, 391*, 887*
—— decreased antidiuretic response to β-hypophamine in, 322*
—— diagnostic value of I^{131} uptake, rate & clearance, 980†
—— effect of iodide on release of thyroid hormone in, 130*
—— effect of *l*-triiodothyronine on I^{131} uptake in, 1480*
—— exophthalmos: *see also* Eyes
—— in children; endocrine factors, 62*
—— in mongolism; tests of thyr. & pit. function, 160*

THYROID (*cont.*)
DISORDERS (*cont.*)
Hyperthyroidism (cont.)
—— iodine in the treatment of: *see also* Iodine
—— methimazole in treatment of: *see* Mercapto compounds
—— protein-bound iodine (PBI) of serum: *see* Iodine
—— radioactive iodine in study & treat. of: *see* Iodine, radioactive
—— thiouracil therapy: *see* Thiouracil; Antithyroid drugs
—— thyroidal uptake of I^{131} in: *see* Iodine, radioactive
—— thyroid-stimulating, or thyrotropic hormone (TSH): *see also* Pituitary preps.
—— thyrotoxicosis foll'g acute thyroiditis, 542*
—— toxic goiter tissue; diiodotyrosine deshalogenating activity of, 1096*
Hypothyroidism (cretinism, myxedema)
—— action of *dl*-tribromthyronine in, 1395*
—— BMR and I^{131} tests in; clinical appraisal, 724*
—— congenital; metab. of iodotyrosines in, 848*
—— cretin, nongoitrous; high PBI & I^{131} uptake in, 983†
—— cretinism; genetic & environmental factors; classification, 1522*
—— cretinism, goitrous, 1580*
—— cretinism; relation of placental transfer of thyroid hormone to, 1392*
—— diagnosis of; response of PBI to TSH as criterion, 976†
—— effect of optical isomers of triiodothyronine in, 974†
—— effect of stilbestrol on serum thyroxine-binding in, 1491*
—— following antithyroid drugs: *see also* Antithyroid drugs
—— goitrous cretin; diiodotyrosine deshalogenating activity of thyroid tissue from, 1096*
—— infantile thyroid insuffic'y; hirsutism in, 817*
—— low thyroid reserve; effect of TSH, 1438*
—— metabolic effects of triac & tetrac in, 1299*
—— myxedema & goiter foll'g prolonged ingest. of iodine, 141* 1109*
—— myxedema as postop. complication, 1456*
—— myxedema; effect of synthetic *d*-thyroxine in, 982†
—— myxedema; effect of triac & tetrac in, 1470*
—— PBI of serum in: *see also* Iodine
—— thyroidal uptake of I^{131} in: *see* Iodine, radioactive
—— treatment of, with thyroid preps.: *see also* Thyroid preps.
—— triiodothyronine; role in treatment of, 975†

THYROID (*cont.*)
DISORDERS (*cont.*)
Hypothyroidism (*cont.*)
—— with hypoparathy'm , exophthalmos & galactorrhea; Ca & P metab. in, 1245*
PHYSIOLOGY & PATHOLOGY
—— BMR, I^{131} studies & serum cholesterol in anorexia nervosa, 801*
—— function; clinical appraisal of I^{131} tests for, 724*
—— function; effect of amphenone on, 705*, 929†
—— function; effect of dinitrophenol on, 1026*
—— function; effect of prednisone on, 643*
—— function in mongolism, 830*
—— function in myotonia atrophica, 1235*
—— function; studies of: *see also* Iodine, radioactive; Pituitary preps. (TSH); Antithyroid drugs
—— histology (autopsy) in boy with familial Addison's disease & hypoparath'm, 1374*
—— hormone: *see also* Thyroid preps.
—— iodinated protein in serum in cancer of the thyroid, 1554*
—— iodinated protein in serum in Hashimoto thyroiditis, 1570*
—— lymphatic pathways leading from; iodinated compounds in, 153*
—— pathologic study of thyroiditis, 1433*
—— pathologic studies: *see also* Thyroid disorders
—— PBI of serum: *see also* Iodine
—— radioiodine (I^{131}) in the study of: *see also* Iodine, radioactive
—— thyroid-stim'g hormone (TSH): *see also* Pituitary preps. (TSH)
—— thyroidal and salivary I^{131} clearances of plasma in thyroid states, 449*
—— thyroidal I^{131} uptake; effect of cobalt on, in man, 831*
—— thyroidal states in adrenalect'd mice; effect on sensitivity to cortisone, 954†
—— thyroidect'd, hypophysect'd rats; fate of TSH in, 976†
—— tissue; Cu and Zn in, 123*
PREPARATIONS & COMPOUNDS
—— daily hormonal output & active iodine stores, 930†
—— desicc. thyroid in treat. of iodide goiter, 141*
—— desicc. thyroid in treat. of struma lymphomatosa, 35*
—— desicc. thyroid; influence on I^{131} therapy of metast. thyroid cancer, 1*
—— diiodotyrosine & thyroxine; metab. of, in goitrous cretinism, 1522*
—— diiodotyrosine deshalogenating activity of human thyroid tissue, 1096*
—— hormones: studies of, with radioiodine: *see also* Iodine, radioactive
—— hormones & metabolites identified in thyroid, serum, bile, tissues or urine; effects, 1405*
—— hormones; effect of epinephrine and nor-epi. on release of, 926†
THYROID (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— hormones; serum I^{131} pattern of, in thyroid states, 928†
—— hormones; suppression of pigment in zebra-fish embryos by, 978†
—— I^{131} in study of: *see also* Iodine, radioactive
—— iodinated compounds in lymph from thyroid, 153*
—— mono- & di-iodotyrosine; fate of, in normal & disease states, 735*
—— mono- & di-iodotyrosine in familial goiter, 848*
—— pork *vs.* beef thyroid; biologic activities of, 1595*
—— thyroid therapy in low thyroid reserve, 1438*
—— thyroxine & analogs; effects on O_2 consumption of kidney slices, 975†
—— thyroxine i.v.; inhib. of I^{131} uptake by, in hypophysect'd adults, 1311*
—— thyroxine, labeled; salivary secretion of I^{131} after, 1347*
—— *d*-thyroxine, synthetic; effect in myxedema, 982†
—— thyroxine-binding by human gamma globulin; unusual instance, 573*
—— thyroxine-binding by sera of pregnant women, 280*
—— thyroxine-binding in serum; effect of stilbestrol on, 1491*
—— thyroxine-binding protein in nephrosis, 643*
—— triac & tetrac; acetic-acid analogues of thyroxine & triiodothyronine; metabolic effects, 1299*
—— *dl*-tribromthyronine; effect on BMR in myxedema, 1395*
—— triiodo- & tetraiodothyroacetic acid; effects in myxedema, 1470*
—— triiodothyronine & perchlorate; placental transfer of, in g. pig, 927†
—— triiodothyronine & thyroxine, acetic-acid analogues of; metabolic activities *in vitro* & *in vivo*, 929†
—— *l*-triiodothyronine & *l*-thyroxine, I^{131}-labeled; uptake by erythrocytes, 976†
—— *l*-triiodothyronine-I^{131} & *l*-thyroxine-I^{131}; placental transfer of, 1392*
—— *l*-triiodothyronine; effect of, in nontoxic goiter, 980†
—— *l*-triiodothyronine; effect on I^{131} uptake in euthyroidism and ex. goiter, 1480*
—— *l*-triiodothyronine; effect on native resistance of rabbits to tbc., 979†
—— *l*-triiodothyronine in unusual thyroid hypofunct. foll'g prolonged ingest. of iodine, 1109*
—— triiodothyronine; metabolic activity of optical isomers, 974†
—— triiodothyronine; role in treat. of thyroid disease, 975†
THYROIDITIS: *see* Thyroid disorders
THYROIDOLOGISTS; their beckoning frontiers, 1405*
THYROID-STIMULATING HORMONE (TSH) (THYROTROPIN): *see* Pituitary preps (TSH)

THYROTOXICOSIS: *see* Thyroid disorders, hyperthyroidism
THYROTROPIC HORMONE (TSH): *see* Pituitary preps. (TSH)
THYROXINE: *see* Thyroid preps.
TISSUES: *see also* under specific organ or secretion involved
—— bile: *see* Liver
—— cervical & vaginal smears; cyclic changes in. *see* Uterus
—— distrib. of I^{131} in: *see* Iodine, radioactive
—— distrib. of radioactive substs. in: *see* Radioactive
—— lymph: *see* Lymph
—— mucus: *see* Mucus; Smears
—— nasal smears; cyclic changes in, 905*
—— nuclear chromatin (of leukocytes, oral mucosa, skin, vag. mucosa) in det'n of genetic sex: *see* Sex
—— placenta: *see* Pregnancy
—— saliva: *see* Saliva
—— synovial fluid; metabolites: *see* Synovial fluid
—— tissular distrib. of Ca^{45} in BCG-guinea pigs, 989†
TOAD method: *see* Methods
TOLBUTAMIDE: *see* Sulfonamides; Diabetes
TOXIC ADENOMA: TOXIC GOITER: *see* Thyroid disorders, hyperthyroidism
TOXEMIA of pregnancy: *see* Pregnancy
TOXICITY: *see also* Allergy
—— during I^{131} and methimazole therapy, 1*
—— of amphenone, 705*
—— of arylsulfonureas in diabetes, 1626*
—— of carbimazole, 391*, 887*
—— of insulin-sparing sulfonamides, 821*
—— of norethisterone, 869*
TRANQUILIZING AGENTS : *see also* Chlorpromazine
—— effect of ACTH secretion, 938†
TRIAC: *see* Thyroid preps.
dl-TRIBROMTHYRONINE: *see* Thyroid preps.
TRIIODOTHYROACETIC ACID (triac): *see* Thyroid preps.
TRIIODOTHYRONINE: *see* Thyroid preps.
TROPICAL country; obesity in, 989†; normocalcemia in, 991†
TSH: *see* Pituitary preps. (TSH)
TUBERCULOSIS
—— BCG-immunized g. pigs; tissular distrib. of Ca^{45} in, 989†
—— effect of *l*-triiodothyronine & propylthiouracil on native resistance to, in rabbits, 979†
TUMORS: *see also* Cancer; and under organ or therapy involved
—— adrenal: *see* Adrenal disorders; Cushing's syndrome
—— function of, studied by radioiodine: *see* Iodine, radioactive

ULCER: *see* Gastro-intestinal tract
ULTRACENTRIFUGE, for separation of ant. pituitary fractions, 938†
UNDERFED: *see* Nutrition
UPJOHN SCHOLAR: *see* Endocrine Society, awards
URINE: *see also* Kidney
URINE (*cont.*)
—— adrenaline & nor-ad.: *see* Adrenal preps. (medulla)
—— adrenocortical metabolites: *see* Adrenal preps. (cortex)
—— androgens: *see* Androgens; Steroids
—— calcium: *see* Calcium; Electrolytes; Parathyroid
—— chloride: *see* Electrolytes; Sodium; Addison's disease
—— chorionic gonadotropin (CG): *see* Gonadotropins; Pregnancy
—— corticosteroids (corticoids): *see* Adrenal preps. (cortex)
—— diabetes insipidus: *see* Pituitary disorders
—— diuresis: *see* Kidney; Pituitary disorders (diab. insip.) and preps. (antidiuretic horm.; hypophamine; Pitressin; vasopressin); Water
—— electrolytes: *see* Electrolytes
—— estrogens: *see* Estrogens; Steroids
—— FSH: *see* Gonadotropins
—— glycosuria: *see* Carbohydrate metab.; Diabetes mell.
—— gonadotropins: *see* Gonadotropins; Pituitary preps.
—— in pregnancy: *see* Gonadotropins; Pregnancy; Pregnanediol
—— iodine compounds: *see* Iodine
—— 17-ketosteroids: *see* Steroids, 17-KS
—— methods for determination of constituents: *see* Methods; Tests
—— nitrogen: *see* Nitrogen; Protein
—— phosphorus: *see* Phosphorus
—— polyuria induced by hypophysect'y in man, 183*
—— polyuria: *see also* Pituitary preps. (antidiuretic); Water
—— potassium: *see* Electrolytes
—— pregnanediol: *see* Pregnanediol
—— radioactive compounds: *see* Radioactive
—— radioactive iodine: *see* Iodine, radioactive
—— renal function: *see* Kidney
—— sodium: *see* Sodium; Electrolytes
—— steroids: *see* Steroids; Adrenal preps.; Androgens; Estrogens; Pregnanediol
—— sugar: *see* Carbohydrate metab.; Diabetes mell.; Insulin
—— volume; diurnal variations in, related to excretion of ADS, 28*
UROPEPSIN: *see* Gastro-intestinal tract
UTERUS & VAGINA: *see also* Ovary; Menstruation; Pregnancy
—— cervical mucus arborization (ferns) & vaginal cytology; progestational effect of norethisterone on, 869*
—— cervical mucus changes during cortisone therapy, 973†
—— estradiol-induced uterine growth in rat; suppression of, by hydrocortisone ac., 9α-fluorohydrocortisone ac. & ACTH, 496*
—— menstruation: *see* Menstruation
—— placenta: *see* Pregnancy; Gonadotropins, chorionic
—— pregnancy: *see* Pregnancy
—— uterine sensitivity in rats; loss of, foll'g production of deciduoma, 925†
—— vaginal absorption of hydrocortisone, 557*

UTERUS & VAGINA (*cont.*)
—— vaginal smears before & after removal of adrenal tumor, 1075*
—— vaginal smears; det'n of genetic sex by (nuclear chromatin), 155*
—— vaginal smears: *see also* Estrogens; Menstruation; Ovary; Sex

VAGINA: *see* Uterus & Vagina
VAN METER PRIZE AWARD: *see* Am. Goiter A., awards
VARIATION: *see also* Diurnal; Species
—— seasonal in sensitivity of *Bufo marinus* to CG 1354*
VASCULAR SYSTEM: *see also* Blood; Heart
—— hypertension; course of, in spont. remiss. of Cushing's syn., 406*
—— hypertension induced by aldosterone in rats; postmortem study, 918†
—— hypertension of Cushing's syn.; effect of Benodaine on, 529*
—— hypertension; relation of internal secretion of kidney to, 986†
—— hypertensive vasc. disease in rats bearing adrenocort. tissue, 919†
—— hypotension, methacholine-induced; excretion of catechol amines during, 876*
—— vascular reactivity and electrolytes in toxemic pregnancy, 1196*
VASOPRESSIN: *see* Pituitary preps. (antidiuretic subst., β-hypophamine; Pitressin)
VIRILISM
—— adrenogenital syndrome: *see* Adrenal disorders
—— assoc'd with adrenal disease: *see* Adrenal disorders; Cushing's syndrome
—— pseudohermaphrodism: *see* Hermaphrodism
—— virilizing testicular tumor; biosynthesis of androgen from progesterone by, 1629*
VITAMINS: *see also* Diet
VITAMINS (*cont.*)
—— ascorbic acid; effect on insulin-glucose tolerance curve in obesity, 653*
—— ascorbic acid: *see also* Adrenal physiology
—— B_{12} and cortisone; effect on body wt. & glycopexis in mice, 961†
—— B_{12}-antibiotic supplement; effect on cortisone-induced glomerular lesions in rabbits, 944†
—— folic acid; metabolic relationship to sex hormones, 964†
VITILIGO: *see* Pigment
VOCAL cord paralysis after thyroidectomy, 1456*

WATER: *see also* Kidney; Urine
—— antidiuretic hormone: *see also* Pituitary preps. (β-hypophamine; Pitressin; vasopressin)
—— antidiuretic response to β-hypophamine decreased in hyperthyroidism, 322*
—— diabetes insipidus: *see* Pituitary disorders
—— diuresis tests in Addison's dis. with diabetes insip., 171*
—— exchange foll'g hypophysect'y in man, 183*
—— retention (serum ADH) in neurosis & premenstrual tension, 894*
WEIGHT: *see* Growth; Obesity; Pituitary preps. (growth hormone); and under various endocrinopathies
WORLD CONGRESS on Sterility & Fertility, 168

X-RAY: *see* Roentgen-ray

YALE UNIVERSITY (Graduate School); 1956–57 Am. Cancer Soc. Fellowships in Biometry & Epidemiology, 571

ZINC in normal & path. human thyroid and other tissues, 123*